

TUBI INDUSTRIALI

INDUSTRIAL RUBBER AND PVC HOSES

LISTINO PRICE LIST 2022/05





Da quasi 60 anni,
Sati Group produce
e distribuisce nastri
trasportatori in gomma,
tubi industriali in gomma
e PVC, lastre e tappeti
in gomma.

Since 60 years,
Sati Group produces and
distributes rubber
conveyor belts,
industrial rubber and PVC
hoses, rubber sheeting
and foam rubber.

Puntiamo da sempre sull'affidabilità del servizio, la prontezza delle consegne, la costante disponibilità a magazzino di oltre 5.000 articoli di alta qualità, oltre a un servizio personalizzato e su misura che ci consente di gestire oltre 2500 ordini al mese. Quasi sessant'anni di storia non si improvvisano.

In un contesto internazionale sempre più competitivo, il patrimonio di esperienze accumulato in decenni di successi sui principali mercati internazionali ci ha insegnato l'importanza di ascoltare i clienti per intuirne in anticipo le esigenze e rispondere con efficacia anche nelle situazioni più complesse.

La ricerca di nuove soluzioni è parte integrante del nostro DNA. Da sempre cerchiamo in tutto il mondo prodotti di qualità superiore, in grado di migliorare le prestazioni e l'efficienza di ogni tipo di processo industriale.

Investiamo in sviluppo, progettando e realizzando soluzioni e prodotti innovativi come le nostre linee di produzione SATIVERTICAL (nastri trasportatori bordi e tazze) e SATIFOAM (materiali espansi) in grado di fare la differenza per prestazioni e durata.

Il nostro headquarter di Castel Maggiore si estende su una superficie coperta di oltre 20.000 mq ed è dotato della più avanzata impiantistica per la produzione, l'assemblaggio e la movimentazione di tutti gli articoli a catalogo. Il nostro obiettivo è assicurare il massimo di efficacia produttiva ed efficienza logistica al cliente nel rispetto della sicurezza e del benessere di tutto il nostro team.

We based our service on the reliability, rapid deliveries, the availability of over 5000 high quality products in our warehouse and the tailor made service that allow us to handle over 2500 orders every month. Almost sixty years of history have taught us the importance of listening to our customers in order to understand their needs and to provide support in handling complex procedures and special orders. The searching of new solutions is in our DNA.

We try to find all over the world high quality products in order to increase the efficiency of every industrial process. We invest in development and we realize innovative solutions and products such as our SATIVERTICAL (sidewalls and cleats belts) and SATIFOAM (foam materials) production lines. Our headquarter based in Castel Maggiore occupies an area of over 20.000 square meters and it is equipped with the most advanced production, assembly and handling systems. Our goal is to ensure the best logistic and production efficiency for our customers in full respect for the welfare of our team.



20.000 m²



La logistica
che funziona.

Logistics that work.



La nostra forza risiede anche nella sede centrale di cui disponiamo: 20.000 m² di magazzino e oltre 500 m² di uffici ci permettono di avere oltre 5000 articoli in pronta consegna e, di conseguenza, di gestire puntualmente oltre 2400 ordini clienti al mese.



Our strength also lies in our main base, where we have 20,000 sqm of warehouse and 500 sqm of office space, enabling us to offer more than 5,000 items ready for delivery and therefore to efficiently handle over 2,400 orders every month.

INDICE INDEX



TUBI PER ACQUA E FLUIDI INERTI WATER AND INERT FLUID HOSES

5

●	ACQUA / LN 10	6
●	PRESSCORD 10 BAR	6
●	ACQUA / HD 10	6
●	POMPE ACQUA / 10	6
●	POMPE ACQUA / 20	7
●	CORDFLAT L LEGGERA/LIGHT	7
●	CORDFLAT M MEDIA/MEDIUM	7
●	CORDFLAT P PESANTE/HEAVY	7
●	CORDFLAT I INDUSTRIAL	8
●	ACQUA / SP 10	8
●	ONDULATO / SPM	8
●	CORDFLEX S.T. LIQUIDI	8
●	AGRISTEEL PL	9
●	CORDFLEX PESANTE/HEAVY	9
●	CORDFLEX S.E. LIQUIDI	9
●	CORDFLEX SUPERIOR S.E.	9
●	CORDFLEX IDROS	10



TUBI RETINATI PER IRRORAZIONE E GIARDINAGGIO BRAIDED SPRAYING AND GARDENING PVC HOSES

11

●	FRUTCORD 25 BAR	12
●	FRUTCORD 40 BAR	12
●	FRUTCORD 40 BAR PREMIUM	12
●	FRUTCORD 50 BAR	12
●	FRUTCORD 80 BAR	13
●	FRUTCORD 100 BAR	13
●	ELBACORD NO TWIST	13
●	NEMOCORD NO TWIST	13
●	GARDENCORD VG	14



TUBI PER ARIA COMPRESSA COMPRESSED AIR HOSES

15

●	ARIA / LN 20	16
●	PRESSCORD 20 BAR	16
●	PRESSCORD PU	16
●	PRESSCORD SUPER	16
●	ARIA / HD 20	17
●	ARIA / HD 25	17
●	ARIA / SHD 40	17



TUBI PER OLI E CARBURANTI OIL AND FUEL HOSES

18

●	CRISTALBENZ	19
●	CARBO / LN 10	19
●	CARBO / LN 20	19
●	CARBO / LN 25	19
●	CARBO / ECO	20
●	CARBO / 20 ISO 7840 A1	20
●	CARBO / LN DIN 73379	20
●	POWERBLUE / LN ISO 22241	20
●	CARBO / LN SAE J30 R7	21
●	CARBO / LN SAE J30 R2-R6	21
●	EASY LOCK/LN SAE 100 R6	21
●	CARBO / HD 10	21
●	ASPOCORD / HD 20	22
●	CARBO / SP 10	22
●	CORDFLEX OIL S.E.	22
●	CORDFLEX OIL ANTISTATIC	22
●	GRECATO / SP MULTIPURPOSE	23
●	ONDULCARBO / SPR	23
●	ONDULCARBO / SPM	23
●	SAE 100 R4	23
●	OIL / RETURN	24
●	SAE 100 R6	24
●	SAE 100 R3	24
●	DIN 20021 2 TE	24
●	DIN 20021 3 TE	25
●	SAE J 1401	25
●	SAE 100 R7	25



GUAINE E SPIRALINE DI PROTEZIONE SPIRAL PROTECTION PVC HOSES

26

●	MOLLAFLEX SMART	27
●	MOLLAFLEX HD	27
●	HELIPOLEN	27
●	PROTECH/PP	27
●	PROTECH/PA	28
●	PROTECH/SIL	28
●	PROTECH/HD	28



TUBI TRECCIATI TESSILI E IN ACCIAIO TEXTILE AND STEEL WIRE HOSES

29

●	SAE 100 R6 ZINC	30
●	SAE 100 R4 ZINC	30
●	CARBO / LN 10 ZINC	30
●	CARBO / HD 10 ZINC	30
●	EN 857 1SC ZINC	31
●	EN 857 2SC ZINC	31
●	DIN 20021 2TE ZINC	31
●	NBR ZINC	31
●	EPDM ZINC	32
●	PTFE INOX	32
●	PTFE OND INOX	32
●	TREC OIL CARBO ECO / TT	32



TUBI PER ACQUA CALDA E VAPORE HOT WATER AND STEAM HOSES

33

●	EPDM / LN 10	34
●	EPDM / LN 20 MULTIPURPOSE	34
●	EASY LOCK / LN 135°	34
●	RADIATOR	34
●	GRECATO / SP MULTIPURPOSE	35
●	ACQUA CALDA / 120°C	35
●	VAPOR / 160°C	35
●	WATER INTAKE / SP	35
●	VAPORE ARMATO	36



TUBI PER PASSAGGIO DI PRODOTTI ALIMENTARI FOOD DELIVERY HOSES

37

●	PRESSCORD FQ	38
●	CLEANING LB	38
●	CLEANING / HD	38
●	CRISTALCORD PER ALIMENTI / FOR FOOD	38
●	CRISTALLO ALIMENTARE	39
●	CRISTALSIL FDA	39
●	CORDSTEEL S.E. PASSO STRETTO / SHORT PITCH	39
●	CORDSTEEL P.L. PASSO LARGO / LARGE PITCH	39
●	MULTISTEEL FG	40
●	CORDFLEX L.D. PER ALIMENTI / FOR FOOD	40
●	CORDFLEX N.T. PER ALIMENTI / FOR FOOD	40
●	CORDFLEX H.D. PER ALIMENTI / FOR FOOD	40
●	CORDFLEX H.D. PER ALIMENTI / FOR FOOD ANTISTATICO / ANTISTATIC	41
●	MULTIFLEX FG	41



ULTRAFOOD SP

41



WHITE ALIMENT HD

41



WHITE ALIMENT SP

42



FAT ALIMENT HD

42



FAT ALIMENT SP

42



VINOREX

42



TUBI SPIRALATI PER ASPIRAZIONE ARIA, VENTILAZIONE E CONDIZIONAMENTO VACUUM AND CONDITIONING SPIRAL PVC HOSES

43



CORDFLEX AIR

44



CORDFLEX AIR/P

44



THERMOCORD HL

44



THERMOCORD 130°C

44



THERMOCORD TPR

45



THERMOCORD NEOPRENE 150°C - 1S

45



THERMOCORD NEOPRENE 150°C - 2S

45



THERMOCORD SILICONE 300°C - 1S

45



THERMOCORD SILICONE 300°C - 2S

46



TUBI PER MATERIALI ABRASIVI BULK MATERIAL HOSES

47



CORDFLEX AIR PU

48



CORDFLEX AIR PU ANTISTATICO / ANTISTATIC

48



AEROCORD PU/ECO

48



AEROCORD PU

48



AEROCORD PU-H

49



SABBIA / HD 12

49



SABBIA / HD 18

49



ABRABETON / 40

49



CORDFLEX PU LIQUIDI

50



CORDFLEX PU PESANTE/HEAVY

50



CEMENTO / HD

50



FLOSTER PARA / HD

51



FLOSTER EPDM / HD

51



TUBI PER GAS E SALDATURA GAS AND WELDING HOSES

52



OSSIGENO / LB ISO 3821

53



ACETILENE / LR ISO 3821

53



BINATO / LB+LR ISO 3821

53



PROPANO / LA ISO 3821

53



PRESSCORD METANO UNI CIG

54



PRESSCORD GPL UNI CIG

54

INDICE INDEX



TUBI PER PASSAGGIO PRODOTTI CHIMICI CHEMICAL DELIVERY HOSES

55

●	CHIMICO / HD	56
●	CHIMICO / SP	56
●	CORDLINKED / HD	56
●	CORDLINKED / SP	56



TUBI INDUSTRIALI PER USO NAVALE ED IMBARCAZIONI DA DIPORTO MARINE INDUSTRIAL HOSES

57

●	CARBOMARINE / LN 10	58
●	CARBOMARINE SP	58
●	CARBOMARINE SPC	58
●	CARBOMARINE IT	58
●	MARINGAS / SP	59
●	SILMARINE / SP	59
●	SANITARI / WC ULTRAFLEX	59
●	CORDSTEEL / WC	59
●	SANIFLEX / WC	60
●	SANISTEEL / WC	60
●	ARTIC THERM	60
●	ARTIC ESP	60



SATIBLOCK®

FASCETTE E COLLARI STRINGITUBO / CLAMPS AND COLLARS

61

●	STF W1	62
●	STF W2	62
●	STF W4	63
●	STF W5	63
●	STC W2	64
●	STC W4	64
●	STC W5	65
●	MAGNUM W2	65
●	MAGNUM W4	66
●	STM	66
●	STS	67
●	SDB	67
●	SGT	68
●	SBV	68
●	SBS	69
●	SSS	70
●	DIN 3016 W1	70
●	BANDI BLOCK	71

SIMBOLI / SYMBOLS



DIAMETRO INTERNO
INSIDE DIAMETER



DIAMETRO ESTERNO
OUTSIDE DIAMETER



SPESSORE PARETE
WALL THICKNESS



LUNGHEZZA
LENGTH



PREZZO AL METRO LINEARE
PRICE PER LINEAR METER



PREZZO AL PEZZO
PRICE PER PIECE

RUBBER

TUBI INDUSTRIALI IN GOMMA
INDUSTRIAL RUBBER HOSES

PVC

TUBI IN PVC FLESSIBILI
FLEXIBLE PVC HOSES



SATIBLOCK®
FASCETTE E COLLARI
STRINGITUBO
CLAMPS AND COLLARS

ALTRI DIAMETRI O PRESSIONI REALIZZABILI SU RICHIESTA. Le caratteristiche e i dati tecnici possono essere modificati senza preavviso.
OTHER DIAMETERS AND/OR PRESSURES ARE FEASIBLE UPON REQUEST. The characteristics and technical data could be changed without warning.


TUBI PER ACQUA E FLUIDI INERTI

WATER AND INERT
FLUID HOSES



TUBI RETINATI PER IRRORAZIONE E GIARDINAGGIO

BRAIDED SPRAYING AND GARDENING
PVC HOSES



FRUTTCORD

80 BAR

[illegible]

FRUTTCORD

100 BAR

[illegible]

ELBACORD
NO TWIST

[illegible]

NEMOCORD
NO TWIST

[illegible]



GARDENCORD VG



SATIHOSE PVC

[illegible]

TUBI PER ARIA COMPRESSA

COMPRESSED AIR HOSES





PRESSCORD SUPER

[illegible]

ARIA / HD 20



SATIHOSE RUBBER

[illegible]**ARIA / HD 25**

SATIHOSE RUBBER

[illegible]

ARIA / SHD 40



SATIHOSE RUBBER

[illegible]

TUBI PER OLI E CARBURANTI

OIL AND FUEL HOSES



CRISTALBENZ

[illegible]

CARBO / LN 10



SATIHOSE RUBBER

[illegible]

CARBO / LN 20



SATIHOSE RUBBER

[illegible]

CARBO / LN 25



SATIHOSE RUBBER

[illegible]

CARBO / LN
SAE J30 R7



SATIHOSE RUBBER

[illegible]

CARBO / LN
SAE J30 R2-R6



SATIHOSE RUBBER

[illegible]

EASY LOCK/LN
SAE 100 R6



SATIHOSE RUBBER

[illegible]

CARBO / HD 10



SATIHOSE RUBBER

[illegible]

[illegible][illegible][illegible][illegible]

GRECATO / SP MULTIPURPOSE



SATIOSE RUBBER

			STOCK	€ /mtl
mm	mm	m		
15	25	40	✓	30,38
16	26	40	✓	32,46
18	28	40	✓	34,38
20	29	40	✓	35,65
22	32	40	✓	36,60
25	35	40	✓	38,26
28	38	40	✓	41,38
30	40	40	✓	45,72
32	42	40	✓	48,93
35	45	40	✓	56,19
38	48	40	✓	57,13
40	50	40	✓	61,09
42	53	40	✓	65,78
45	55	40	✓	69,83
48	59	40	✓	72,82
51	63	40	✓	75,95
55	67	40	✓	79,03
60	72	40	✓	86,97

ONDULCARBO / SPR



SATIOSE RUBBER

			STOCK	€ /mtl
mm	mm	m		
50	64	40	✓	72,93
80	94	20	✓	104,82
102	115	20	✓	121,38
120	135	40	✓	165,51
152	166	40	✓	168,89

ONDULCARBO / SPM



SATIOSE RUBBER

			STOCK	€ /mtl
mm	mm	m		
50	62	2-3-4	✓	65,82
80	93	2-3-4	✓	95,14
102	116	2-3-4	✓	139,97

SAE 100 R4



SATIOSE RUBBER

			STOCK	€ /mtl
mm	mm	m		
19	29	40	✓	28,39
22	32	40	✓	29,98
25	35	40	✓	31,55
30	41	40	✓	37,08
32	42	40	✓	38,80
35	46	40	✓	41,14
38	49	40	✓	43,46
40	52	40	✓	44,31
42	54	40	✓	48,16
45	57	40	✓	51,42
50	62	40	✓	52,78
60	72	40	✓	66,10
63	75,5	40	✓	81,30
70	84	40	✓	89,19
76	88	40	✓	89,55
80	94	20-40	✓	99,57
90	103	20-40	✓	105,43
102	115	20-40	✓	122,73



DIN 20021 2 TE

SATIHOSE RUBBER

[illegible]

DIN 20021 3 TE



SATIHOSERUBBER

[illegible]

SAE J 1401



SATIHOSE RUBBER

[illegible]

SAE 100 R7




SATIHOSE RUBBER

[illegible]

GUAINE E SPIRALINE DI PROTEZIONE

SPIRAL PROTECTION
PVC HOSES



MOLLAFLEX SMART



SATIHOSE PVC

[illegible]

MOLLAFLEX HD



SATIHOSE PVC

[illegible]

HELIMOPLÉN




SATIHOSE PVC

[illegible]



PROTECH/PP

[illegible]



TUBI TRECCIATI TESSILI E IN ACCIAIO

TEXTILE AND STEEL WIRE HOSES



**SAE 100 R6
ZINC**



SATIHOSE RUBBER

[illegible]

**SAE 100 R4
ZINC**



SATIHOSE RUBBER

[illegible]

**CARBO / LN 10
ZINC**



SATIHOSE RUBBER

[illegible]

CARBO / HD 10 ZINC



SATIHOSE RUBBER

[illegible]

EN 857 1SC
ZINC



SATIHOSE RUBBER

[illegible]

EN 857 2SC ZINC



SATIHOSE RUBBER

[illegible]

DIN 20021 2TE ZINC



SATIHOSE RUBBER

[illegible]

NBR ZINC



SATIHOSE RUBBER

[illegible]

[illegible][illegible][illegible][illegible]

TUBI PER ACQUA CALDA E VAPORE

HOT WATER AND STEAM HOSES



GRECATO / SP MULTIPURPOSE



SATIOHOSE RUBBER

				
mm	mm	m	STOCK	€/mtl
15	25	40	✓	30,38
16	26	40	✓	32,46
18	28	40	✓	34,38
20	29	40	✓	35,65
22	32	40	✓	36,60
25	35	40	✓	38,26
28	38	40	✓	41,38
30	40	40	✓	45,72
32	42	40	✓	48,93
35	45	40	✓	56,19
38	48	40	✓	57,13
40	50	40	✓	61,09
42	53	40	✓	65,78
45	55	40	✓	69,83
48	59	40	✓	72,82
51	63	40	✓	75,95
55	67	40	✓	79,03
60	72	40	✓	86,97

ACQUA CALDA / 120°C



SATIOHOSE RUBBER

				
mm	mm	m	STOCK	€/mtl
10	20	40	✓	13,36
12	22	40	✓	15,22
13	23	40	✓	16,92
15	25	40	✓	17,28
16	26	40	✓	17,50
17	27	40	✓	17,74
18	28	40	✓	18,32
19	30	40	✓	18,48
20	30	40	✓	19,09
22	32	40	✓	19,62
25	35	40	✓	21,47
28	38	40	✓	24,44
30	41	40	✓	26,55
32	45	40	✓	30,36
35	48	40	✓	33,06
38	51	40	✓	37,61
40	54	40	✓	38,68
45	61	40	✓	49,51
50	66	40	✓	60,93
60	76	40	✓	83,53

VAPOR / 160°C



SATIOHOSE RUBBER

				
mm	mm	m	STOCK	€/mtl
10	21	40	✓	16,65
12	23	40	✓	17,56
15	26	40	✓	19,48
18	30	40	✓	24,19
19	31	40	✓	25,72
25	37	40	✓	28,46
30	45	40	✓	42,71
32	46	40	✓	47,27
35	50	40	✓	47,49
40	56	40	✓	54,01
45	64	40	-	68,11
50	67	40	✓	73,89
60	82	40	-	109,42

WATER INTAKE / SP



SATIOHOSE RUBBER

				
mm	mm	m	STOCK	€/mtl
16	26	40	-	24,45
19	29	40	-	27,88
20	30	40	✓	29,22
25	35	40	✓	30,39
30	40	40	-	31,39
32	43	40	✓	32,19
35	46	40	-	32,47
38	49	40	✓	33,10
40	51	40	✓	33,82
45	57	40	-	44,18
51	63	40	✓	49,97
60	72	40	-	56,00
70	82	40	-	71,70
76	90	40	-	88,28
80	94	40	-	94,41
102	116	40	-	136,90



VAPORE ARMATO



SATIHOSE RUBBER

 mm	 mm	 m	STOCK	€ /mtl
10	21	40	✓	21,86
13	25	40	✓	24,20
19	32	40	✓	29,64
25	38	40	✓	35,21
32	46	40	✓	49,60
38	54	40	✓	60,85
51	67	40	✓	80,33

TUBI PER PASSAGGIO DI PRODOTTI ALIMENTARI

FOOD DELIVERY HOSES





CRISTALLO ALIMENTARE



SATIHOSE PVC

[illegible]

CRISTALSIL FDA

[illegible]

CORDSTEEL S.E.

PASSO STRETTO / SHORT PITCH



SATIHOSE PVC

 mm	 mm	 m	STOCK	 /mtl
10	3,1	60	✓	4,49
12	3,1	60	✓	4,84
14	3,1	60	✓	5,66
16	3,1	60	✓	6,70
18	3,5	60	✓	8,00
20	3,5	60	✓	8,21
22	3,7	60	✓	9,05
25	4,0	60	✓	11,85
30	4,2	60	✓	15,82
32	4,2	30	✓	18,67
35	4,3	30	✓	19,46
38	4,5	30	✓	20,97
40	4,8	30	✓	22,02
45	4,9	30	✓	25,80
50	5,4	30	✓	31,00
60	6,0	30	✓	40,99
63	6,1	30	✓	48,57
65	3,1	30	✓	52,32
70	6,7	30	✓	56,16
75	3,1	30	✓	58,15
80	6,3	30	✓	62,13
90	6,5	30	✓	74,47
100	7,5	30	✓	80,12
110	7,0	20	-	106,59
120	8,0	20	✓	126,09
125	8,0	20	✓	145,57
150	3,1	20	✓	205,84

CORDSTEEL P.L.

PASSO LARGO / LARGE PITCH



SATIHOSE PVC

[illegible]

[illegible][illegible][illegible][illegible]

CORDFLEX H.D. PER ALIMENTI / FOR FOOD ANTISTATICO / ANTISTATIC



SATIOSE PVC

 mm	 mm	 m	STOCK	 /mtl
20	3,0	50	-	8,69
25	3,2	50	✓	10,49
30	3,4	50	✓	12,94
32	3,5	50	-	14,16
35	3,6	50	-	15,11
38	3,9	50	✓	15,82
40	4,0	50	✓	16,19
45	4,0	50	✓	19,75
50	4,3	50	✓	22,41
60	4,7	50	✓	27,16
70	4,9	50	✓	29,70
75	4,7	50	-	37,61
80	5,1	50	✓	41,62
90	5,3	25	✓	49,17
100	5,5	25	✓	56,55
110	5,5	25	-	65,28
120	5,5	25	-	71,35
125	5,5	25	-	77,94
150	5,5	25	-	109,57
200	5,5	10	-	172,35

MULTIFLEX FG



SATIOSE PVC

 mm	 mm	 m	STOCK	 /mtl
38	50	30,5	-	22,49
51	66	30,5	-	39,27
63	78	30,5	-	49,98
76	92	30,5	-	59,97
102	121	30,5	-	92,45
152	181	30,5	-	202,76
203	231	6,1	-	265,95

ULTRAFOOD SP



SATIOSE RUBBER

 mm	 mm	 m	STOCK	 /mtl
19	29	20*	✓	45,15
25	35	20*	✓	47,56
30	40	20*	✓	48,75
38	49	20*	✓	56,88
40	50	20*	✓	60,73
51	62	20*	✓	75,12
60	72	20*	✓	93,98
63	74	20*	✓	99,00
76	89	20*	-	116,95
80	94	20*	✓	125,80
90	103	20*	✓	135,18
102	115	20*	✓	155,60

WHITE ALIMENT HD



SATIOSE RUBBER


 mm	 mm	 m	STOCK	 /mtl
13	-	40	-	19,39
16	-	40	-	25,25
18	-	40	-	27,88
19	-	40	-	28,86
25	-	40	-	37,42
30	-	40	-	42,89
32	-	40	-	46,88
35	-	40	-	49,99
38	-	40	-	51,23
40	-	40	-	53,56
45	-	40	-	69,44
51	-	40	-	77,10
60	-	40	-	105,51
70	-	40	-	125,35
80	-	40-20	-	157,08
102	-	20	-	201,56

* A richiesta producibili in lunghezze da 40 o 60 m
40 or 60mt lengths available on request

[illegible][illegible][illegible][illegible]

TUBI SPIRALATI PER ASPIRAZIONE ARIA, VENTILAZIONE E CONDIZIONAMENTO

VACUUM AND CONDITIONING SPIRAL
PVC HOSES



CORDFLEX AIR



SATIHOSE PVC

				
mm	mm	m	STOCK	€/mtl
20	24,8	30	✓	4,17
25	30	30	✓	5,17
30	35,2	30	✓	7,01
32	38	30	✓	7,70
35	41	30	✓	8,83
38	44,2	30	✓	9,65
40	46,5	30	✓	10,89
45	52,2	30	✓	11,33
50	57	30	✓	12,70
60	68	30	✓	14,69
70	78,4	30	✓	18,12
75	84	30	✓	19,45
80	89	30	✓	20,05
90	99	30	✓	23,05
100	110	30	✓	27,01
110	120,4	30	✓	29,06
120	131	30	✓	33,17
127	138	30	✓	35,89
130	141	30	✓	38,07
140	151	30	✓	40,97
150	162	30	✓	44,05
160	172	20	✓	50,55
180	193	20	✓	55,81
200	214	20	✓	64,31
250	264	10	✓	104,49
300	316	10	✓	132,17

CORDFLEX AIR/P



SATIHOSE PVC

				
mm	mm	m	STOCK	€/mtl
20	26	30	-	5,12
25	31,6	30	-	6,63
30	36,6	30	-	8,83
32	39	30	-	9,55
35	43	30	-	11,18
38	46	30	-	11,89
40	49	30	-	12,85
45	53	30	-	14,25
50	59	30	-	16,93
60	71	30	-	19,75
70	81	30	-	23,03
75	86	30	-	23,95
80	92	30	-	27,32
90	103	30	-	31,02
100	124	30	-	37,30
110	125	30	-	42,46
120	135	30	-	46,00
127	140	30	-	48,59
130	144	30	-	49,63
140	154	30	-	53,68
150	164	30	-	59,39
160	175	20	-	64,84
180	195	20	-	73,55
200	220	20	-	82,41
250	270	10	-	133,72
300	325	10	-	169,54

THERMOCORD HL



SATIHOSE PVC

				
mm	mm	m	STOCK	€/mtl
51	-	10	✓	12,30
63	-	10	✓	13,22
70	-	10	✓	13,81
76	-	10	✓	14,50
80	-	10	✓	15,19
89	-	10	✓	15,88
102	-	10	✓	17,26
110	-	10	✓	19,12
121	-	10	✓	20,55
127	-	10	✓	21,59
133	-	10	✓	22,50
140	-	10	✓	23,34
152	-	10	✓	25,31
160	-	10	✓	26,95
180	-	10	✓	29,02
203	-	10	✓	33,19
254	-	10	✓	41,14
305	-	10	✓	48,53
356	-	10	✓	57,63
406	-	10	✓	66,76
457	-	10	✓	74,16

THERMOCORD 130°C



SATIHOSE PVC

				
mm	mm	m	STOCK	€/mtl
40	-	10	✓	16,38
45	-	10	✓	16,95
51	-	10	✓	17,33
60	-	10	✓	17,76
70	-	10	✓	20,08
76	-	10	✓	21,40
80	-	10	✓	22,67
90	-	10	✓	23,87
100	-	10	✓	24,79
110	-	10	✓	26,68
120	-	10	✓	28,26
125	-	10	✓	29,69
130	-	10	✓	30,83
140	-	10	✓	32,97
150	-	10	✓	35,08
160	-	10	✓	36,95
180	-	10	✓	40,73
200	-	10	✓	43,96
250	-	10	✓	52,40
300	-	10	✓	61,74
350	-	10	-	68,76
400	-	10	✓	80,66
450	-	10	-	89,58

THERMOCORD TPR



SATIOHOSE PVC

				
mm	mm	m	STOCK	€/mtl
40	-	10	-	31,45
50	-	10	-	38,58
60	-	10	-	45,47
65	-	10	-	49,72
70	-	10	-	54,27
75	-	10	-	57,13
80	-	10	-	58,33
90	-	10	-	61,56
100	-	10	-	64,13
110	-	10	-	69,22
120	-	10	-	76,56
125	-	10	-	81,03
130	-	10	-	84,47
140	-	10	-	89,75
150	-	10	-	96,61
160	-	10	-	106,52
170	-	10	-	108,50
180	-	10	-	113,49
200	-	10	-	124,25
225	-	10	-	143,82
250	-	10	-	159,96
275	-	10	-	191,13
300	-	10	-	201,44
315	-	10	-	234,21
350	-	10	-	252,64
400	-	10	-	277,24
450	-	10	-	325,28
500	-	10	-	355,33

THERMOCORD NEOPRENE 150°C - 1S

(1 STRATO/LAYER)



SATIOHOSE PVC

				
mm	mm	m	STOCK	€/mtl
19	-	4	-	49,73
25	-	4	-	45,16
28	-	4	-	43,41
30	-	4	-	42,97
32	-	4	-	43,33
35	-	4	-	43,88
38	-	4	-	45,02
39	-	4	-	45,62
41	-	4	-	46,70
44	-	4	-	48,37
51	-	4	-	53,16
55	-	4	-	55,47
57	-	4	-	55,80
60	-	4	-	58,02
63	-	4	-	59,70
64	-	4	-	59,88
65	-	4	-	61,56
70	-	4	-	62,96
76	-	4	-	65,96
80	-	4	-	69,13
83	-	4	-	71,41
89/90	-	4	-	74,39
95	-	4	-	81,78
102	-	4	-	82,83
114	-	4	-	89,88
120/121	-	4	-	96,71
127	-	4	-	100,16
130	-	4	-	100,99
140	-	4	-	107,27
152	-	4	-	119,66
160	-	4	-	130,75
165	-	4	-	139,37
178/180	-	4	-	157,50
203	-	4	-	177,20
229	-	4	-	202,07
254	-	4	-	225,92
305	-	4	-	256,41

THERMOCORD NEOPRENE 150°C - 2S

(2 STRATI/LAYERS)



SATIOHOSE PVC

				
mm	mm	m	STOCK	€/mtl
19	-	4	-	76,86
25	-	4	-	69,90
28	-	4	-	72,18
30	-	4	-	73,98
32	-	4	-	74,42
35	-	4	-	74,90
38	-	4	-	75,87
39	-	4	-	76,86
41	-	4	-	77,66
44	-	4	-	79,56
51	-	4	-	85,75
55	-	4	-	90,89
57	-	4	-	92,73
60	-	4	-	94,48
63	-	4	-	98,32
64	-	4	-	98,94
65	-	4	-	99,55
70	-	4	-	105,33
76	-	4	-	107,04
80	-	4	-	110,52
83	-	4	-	112,67
89/90	-	4	-	116,12
95	-	4	-	128,94
102	-	4	-	135,89
114	-	4	-	141,51
120/121	-	4	-	152,72
127	-	4	-	158,07
130	-	4	-	161,83
140	-	4	-	174,25
152	-	4	-	183,02
160	-	4	-	192,80
165	-	4	-	198,99
178/180	-	4	-	217,77
203	-	4	-	241,96
229	-	4	-	291,85
254	-	4	-	328,85
305	-	4	-	363,84

THERMOCORD SILICONE 300°C - 1S

(1 STRATO/LAYER)



SATIOHOSE PVC

				
mm	mm	m	STOCK	€/mtl
19	-	4	-	64,54
25	-	4	-	58,73
28	-	4	-	58,46
30	-	4	-	58,29
32	-	4	-	59,09
35	-	4	-	59,62
38	-	4	-	60,97
39	-	4	-	61,34
41	-	4	-	62,10
44	-	4	-	63,25
51	-	4	-	66,44
55	-	4	-	70,19
57	-	4	-	71,41
60	-	4	-	73,44
63	-	4	-	76,29
64	-	4	-	76,47
65	-	4	-	76,61
70	-	4	-	80,59
76	-	4	-	88,12
80	-	4	-	90,78
83	-	4	-	92,34
89/90	-	4	-	98,48
95	-	4	-	103,16
102	-	4	-	112,28
114	-	4	-	122,68
120/121	-	4	-	132,58
127	-	4	-	137,85
130	-	4	-	139,26
140	-	4	-	148,17
152	-	4	-	162,75
160	-	4	-	171,30
165	-	4	-	176,62
178/180	-	4	-	196,19
203	-	4	-	227,12
229	-	4	-	257,87
254	-	4	-	287,41
305	-	4	-	336,70

THERMOCORD SILICONE 300°C - 2S

(2 STRATI/LAYERS)



SATIHOSE PVC

 mm	 mm	 m	STOCK	 /mtl
19	-	4	-	89,64
25	-	4	-	81,50
28	-	4	-	80,76
30	-	4	-	79,96
32	-	4	-	80,84
35	-	4	-	82,68
38	-	4	-	85,54
39	-	4	-	86,51
41	-	4	-	88,21
44	-	4	-	90,96
51	-	4	-	100,84
55	-	4	-	109,94
57	-	4	-	115,00
60	-	4	-	120,57
63	-	4	-	123,12
64	-	4	-	124,98
65	-	4	-	126,88
70	-	4	-	136,48
76	-	4	-	145,38
80	-	4	-	150,82
83	-	4	-	158,15
89/90	-	4	-	162,00
95	-	4	-	168,00
102	-	4	-	176,09
114	-	4	-	199,93
120/121	-	4	-	211,51
127	-	4	-	216,12
130	-	4	-	218,09
140	-	4	-	231,87
152	-	4	-	241,66
160	-	4	-	255,69
165	-	4	-	264,98
178/180	-	4	-	291,85
203	-	4	-	321,47
229	-	4	-	370,25
254	-	4	-	405,43
305	-	4	-	500,54

TUBI PER MATERIALI ABRASIVI

BULK MATERIAL HOSES



CORDFLEX AIR PU



SATIHOSE PVC

mm	mm	m	STOCK	€/mtl
20	25	20	✓	7,76
25	30,4	20	✓	8,97
30	36,0	20	-	10,43
32	38,0	20	✓	11,80
35	41,4	20	✓	13,06
38	44,6	20	✓	13,68
40	46,6	20	✓	14,60
45	51,8	20	-	15,65
50	57,0	20	✓	17,16
60	67,4	20	✓	21,91
63	70,6	20	✓	23,75
70	78,4	20	✓	28,61
75	83,8	20	✓	31,44
80	89,0	20	✓	32,14
90	99,4	20	✓	37,57
100	110,4	20	✓	40,41
110	120,4	20	✓	42,06
120	131,0	20	✓	52,76
125	136,6	20	-	58,88
140	136,6	20	✓	71,40
150	162,8	20	✓	81,33
160	173,0	20	-	97,53
180	193,4	20	✓	112,59
200	213,6	10	✓	118,46

CORDFLEX AIR PU

ANTISTATICO /
ANTISTATIC



SATIHOSE PVC

mm	mm	m	STOCK	€/mtl
20	25	20	-	9,44
25	30,4	20	-	10,93
30	36,0	20	-	12,66
32	38,0	20	-	14,36
35	41,4	20	-	15,90
38	44,6	20	-	16,67
40	46,6	20	✓	17,78
45	51,8	20	-	18,99
50	57,0	20	✓	20,86
60	67,4	20	✓	26,64
63	70,6	20	✓	27,87
70	78,4	20	✓	34,80
75	83,8	20	-	38,20
80	89,0	20	✓	39,08
90	99,4	20	-	45,69
100	110,4	20	✓	49,16
120	131,0	20	-	64,18
125	136,6	20	-	71,64
140	136,6	20	-	86,86
150	162,8	20	-	98,94
160	173,0	20	-	118,67
180	193,4	20	-	136,92
200	213,6	10	-	144,11

AEROCORD PU/ ECO



SATIHOSE PVC

mm	mm	m	STOCK	€/mtl
50	-	20	✓	13,05
60	-	20	✓	19,27
63	-	20	✓	22,29
70	-	20	✓	24,31
76	-	20	✓	25,44
80	-	20	✓	26,51
90	-	20	✓	29,83
100	-	20	✓	32,19
110	-	20	✓	34,56
120	-	20	✓	36,96
125	-	20	✓	39,46
130	-	20	✓	46,78
140	-	20	✓	50,49
150	-	20	✓	51,30
160	-	20	✓	55,97
180	-	20	✓	60,66
200	-	20	✓	78,35
250	-	10	✓	93,31
300	-	10	✓	111,07
350	-	10	-	136,89

AEROCORD PU



SATIHOSE PVC

mm	mm	m	STOCK	€/mtl
25	-	20	-	13,93
30	-	20	-	15,05
32	-	20	✓	15,33
35	-	20	✓	15,55
40	-	20	✓	15,94
45	-	20	-	18,71
50	-	20	✓	19,60
60	-	20	✓	28,60
70	-	20	-	39,46
75	-	20	✓	40,10
80	-	20	✓	41,60
90	-	20	✓	46,56
100	-	20	✓	50,30
110	-	20	✓	53,85
120	-	20	✓	57,14
125	-	20	✓	60,71
130	-	20	-	67,55
140	-	20	✓	74,26
152	-	20	✓	80,04
160	-	20	✓	85,50
180	-	20	✓	94,46
203	-	20	✓	103,41
250	-	10	✓	143,38
300	-	10		171,97
350	-	10		212,47
400	-	10		238,37
450	-	10		270,60

AEROCORD PU-H



SATIOHOSE PVC

 mm	 mm	 m	STOCK	 /mtl
25	-	20	-	17,85
30	-	20	✓	18,54
32	-	20	✓	20,63
35	-	20	✓	21,61
38	-	20	-	22,58
40	-	20	✓	22,87
45	-	20	✓	28,43
50	-	20	✓	31,65
60	-	20	✓	43,91
63	-	20	-	47,24
70	-	20	✓	50,87
75	-	20	✓	52,83
80	-	20	✓	55,18
90	-	20	✓	60,76
100	-	20	✓	65,50
110	-	20	✓	79,72
120	-	20	✓	82,66
125	-	20	-	86,97
130	-	20	-	105,09
140	-	20	✓	111,91
150	-	20	✓	113,45
160	-	20	✓	131,44
180	-	20	✓	137,83
200	-	20	✓	144,40
250	-	10	✓	169,20
300	-	10	-	253,80

SABBIA / HD 12



SATIOHOSE RUBBER

 mm	 mm	 m	STOCK	 /mtl
10	19	40	✓	16,43
13	21	40	✓	22,32
13	25	40	✓	25,23
16	30	40	✓	27,98
19	34	40	✓	29,42
25	40	40	✓	33,16
30	45	40	✓	37,47
32	48	40	✓	41,93
35	54	40	✓	51,86
40	60	40	✓	59,72
50	70	40	✓	76,62
60	82	40	✓	90,14
80	105	40	✓	124,01
90	115	20-40	✓	136,90
100	126	20-40	✓	153,70

SABBIA / HD 18



SATIOHOSE RUBBER

 mm	 mm	 m	STOCK	 /mtl
25	40	40	✓	36,34
30	45	40	-	44,05
32	48	40	✓	47,71
35	54	40	-	58,85
40	60	40	-	66,07
50	70	40	✓	84,79

ABRABETON / 40



SATIOHOSE RUBBER

 mm	 mm	 m	STOCK	 /mtl
25	37	40-61	✓	30,68
30	45	40	-	43,26
35	48	40	✓	47,12
40	55	40	-	56,52
50	66	40	✓	77,54

FLOSTER PARA / HD

PARA LIGHT BROWN
NATURAL RUBBER



SATIHOSSE

RUBBER

 mm	 mm	 m	STOCK	€/mtl
50 x 58	4	12	✓	22,09
60 x 68	4	12	✓	26,15
70 x 78	4	12	✓	30,49
76 x 84	4	12	-	32,69
80 x 88	4	12	✓	34,23
90 x 98	4	12	✓	38,91
102 x 110	4	12	✓	43,58
114 x 122	4	12	✓	46,85
120 x 128	4	12	✓	51,39
130 x 138	4	12	✓	55,10
140 x 148	4	12	✓	59,76
152 x 160	4	12	✓	63,77
168 x 176	4	12	✓	70,64
193 x 201	4	9	✓	80,92
200 x 208	4	12	✓	84,39
220 x 228	4	6	✓	92,12
254 x 262	4	12	✓	106,78
273 x 281	4	10	✓	114,25
305 x 313	4	12	✓	126,04
323 x 331	4	6	✓	135,68
350 x 358	4	6	✓	145,35
400 x 408	4	7	✓	167,45
500 x 508	4	6	✓	192,69
612 x 620	4	6	✓	244,57

FLOSTER EPDM / HD

2-TONE NATURAL RUBBER



SATIHOSSE

RUBBER

 mm	 mm	 m	STOCK	€/mtl
50 x 58	4	12	-	24,98
60 x 68	4	12	-	29,21
70 x 78	4	12	-	33,87
76 x 84	4	12	-	36,50
80 x 88	4	12	-	38,53
90 x 98	4	12	-	42,17
102 x 110	4	12	-	47,80
114 x 122	4	12	✓	53,74
120 x 128	4	12	✓	55,60
130 x 138	4	12	-	60,74
140 x 148	4	12	✓	64,72
152 x 160	4	12	✓	70,03
168 x 176	4	12	✓	77,00
193 x 201	4	9	✓	88,97
200 x 208	4	12	✓	91,46
220 x 228	4	6	✓	100,57
254 x 262	4	12	✓	116,18
273 x 281	4	10	✓	124,17
305 x 313	4	12	✓	139,44
323 x 331	4	6	✓	146,75
350 x 358	4	6	✓	159,69
400 x 408	4	7	✓	183,26
500 x 508	4	6	✓	226,06
612 x 620	4	6	✓	269,03

TUBI PER GAS E SALDATURA

GAS AND HOSES



ISO 3821



 mm	 mm	 m	STOCK	 /mtl
5	10,5	100	✓	4,18
6	13	100	-	4,31
8	15	100	✓	4,91
8	17	100	✓	5,42
10	17	100	✓	5,50

ISO 3821



 mm	 mm	 m	STOCK	 /mtl
5	10,5	100	✓	4,18
6	13	100	-	4,31
8	15	100	✓	4,91
10	17	100	✓	5,50

ISO 3821



 mm	 mm	 m	STOCK	 /mtl
5+5	10,5	100	✓	8,18
6+6	13	100	✓	8,34
8+8	15	100	✓	9,41
10+10	17	100	✓	11,36

ISO 3821



 mm	 mm	 m	STOCK	 /mtl
6	12	100	-	5,14
8	14	100	-	5,62
8	15	100	✓	6,03
8	16	100	-	6,50

TUBI PER PASSAGGIO PRODOTTI CHIMICI

CHEMICAL DELIVERY HOSES



CHIMICO / HD



SATIHOSE RUBBER

[illegible]

CHIMICO / SP



SATIHOSE RUBBER

[illegible]

CORDLINKED / HD



SATIHOSE RUBBER

[illegible]

**CORDLINKED /
SP**



SATIHOSE RUBBER

[illegible]

TUBI INDUSTRIALI PER USO NAVALE ED IMBARCAZIONI DA DIPORTO

HOSES MARINE
INDUSTRIAL HOSES



CARBOMARINE LN 10



SATIHOSE RUBBER

			STOCK	€/mtl
mm	mm	m		
6	16	40	✓	6,49
8	17	40	✓	6,64
10	19	40	✓	7,51
12	22	40	✓	10,16
16	26	40	✓	12,11
19	30	40	✓	15,63



			€/mtl 1m	€/mtl 10m	€/mtl 20m
mm	mm	m			
6	16	20	268,41	214,72	187,88
8	17	20	270,37	216,29	189,25
10	19	20	311,66	249,33	218,16

CARBOMARINE SP



SATIHOSE RUBBER

			STOCK	€/mtl
mm	mm	m		
20	32	20	✓	21,72
25	37	20	✓	27,17
30	42	20	✓	32,13
32	44	20	-	32,88
38	50	20	✓	40,34
40	52	20	✓	41,12
50	63	20	✓	44,62
60	72	20	✓	62,98
63	76	20	-	81,37

CARBOMARINE SPC



SATIHOSE RUBBER

			STOCK	€/mtl
mm	mm	m		
25	37	20	✓	27,64
32	44	20	✓	35,12
38	50	20	✓	39,15
50	63	20	✓	45,40

CARBOMARINE IT



SATIHOSE RUBBER

			STOCK	€/mtl
mm	mm	m		
19	31	20	✓	19,17
22	34	20	✓	21,85
25	37	20	✓	23,01
30	42	20	✓	26,05
32	44	20	-	29,30
35	47	20	✓	30,40
38	50	20	✓	33,39
40	52	20	✓	34,40
45	58	20	✓	36,10
50	63	20	✓	37,82
60	72	20	✓	56,60

MARINGAS / SP



SATIHOSE RUBBER

 mm	 mm	 m	STOCK	€/mtl
20	-	20	✓	20,20
25	-	20	✓	21,73
30	-	20	✓	22,93
32	-	20	✓	23,13
35	-	20	✓	24,28
38	-	20	✓	24,60
40	-	20	✓	26,93
45	-	20	✓	29,00
51	-	20	✓	30,54
55	-	20	✓	32,54
60	-	20	✓	33,92
63	-	20	✓	35,54
65	-	20	✓	38,85
70	-	20	✓	45,29
76,2	-	20	✓	49,14
80	-	20	✓	51,49
90	-	20	✓	54,75
100	-	20	✓	58,22
102	-	20	✓	58,22
110	-	20	✓	75,06
114	-	20	✓	77,26
120	-	20	✓	81,09
127	-	20	✓	82,89
130	-	20	✓	89,97
140	-	20	✓	94,40
152	-	20	✓	97,52
180	-	20	-	148,87
203	-	20	✓	188,03

SILMARINE / SP



SATIHOSE RUBBER

 mm	 mm	 m	STOCK	€/mtl
19	-	20	-	66,48
25	-	20	-	74,40
30	-	20	-	82,96
32	-	20	-	85,99
35	-	20	-	89,65
38	-	20	-	112,24
51	-	20	-	139,66
60	-	20	-	161,32
63,5	-	20	-	169,55
70	-	20	-	180,54
76	-	20	-	190,27
80	-	20	-	211,02

SANITARI / WC ULTRAFLEX



SATIHOSE RUBBER

 mm	 mm	 m	STOCK	€/mtl
16	24	40/30	✓	22,33
19	27	40/30	✓	24,53
25	33	40/30	✓	28,72
30	38	40/30	✓	33,33
38	46,5	40/30	✓	35,73
40	48,5	40/30	✓	38,31
51	59	40/30	✓	47,53
gray/white				

CORDSTEEL / WC



SATIHOSE RUBBER

 mm	 mm	 m	STOCK	€/mtl
12	3	30/60	-	5,34
14	3	30/60	-	6,19
16	3,1	30/60	✓	7,33
18	3,1	30/60	✓	8,80
20	3,1	30/60	✓	9,05
22	3,2	30/60	-	9,92
25	3,2	30/60	✓	13,02
30	3,5	30/60	✓	16,76
32	3,9	30	✓	20,55
35	4,2	30	✓	21,43
38	4,4	30	✓	23,08
40	4,5	30	✓	24,23
45	5,1	30	-	28,40
50	5,1	30	✓	34,07
60	6,5	30	-	45,07
63	6,5	30	-	53,41
70	7	30	-	61,76
76	7	30	-	63,94
80	7,5	30	-	68,34
90	7,5	30	-	81,89


SATIBLOCK®

FASCETTE E COLLARI STRINGITUBO

CLAMPS AND COLLAR



STF W1




SATIBLOCK

		LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A mm	B mm	C mm	Nm	pz/nr	€ cad
9 mm	W1A09008012000	9	8-12	0,8	2,6	100	0,581
	W1A09010016000	9	10-16	0,8	2,6	100	0,588
	W1A09012020000	9	12-20	0,8	2,6	100	0,598
	W1A09016025000	9	16-25	0,8	4,0	100	0,642
	W1A09016027000	9	16-27	0,8	4,0	100	0,665
	W1A09020032000	9	20-32	0,8	4,0	100	0,693
	W1A09025040000	9	25-40	0,8	4,0	100	0,740
	W1A09035050000	9	32-50	0,8	4,0	50	0,775
	W1A09040060000	9	40-60	0,8	4,0	50	0,845
	W1A09050070000	9	50-70	0,8	4,0	50	0,893
	W1A09060080000	9	60-80	0,8	4,0	50	1,001
	W1A09070090000	9	70-90	0,8	4,0	25	1,051
	W1A09080100000	9	80-100	0,8	4,0	25	1,112
	W1A09090110000	9	90-110	0,8	4,0	25	1,188
	W1A09100120000	9	100-120	0,8	4,0	25	1,218
	W1A09110130000	9	110-130	0,8	4,0	25	1,266
	W1A09120140000	9	120-140	0,8	4,0	25	1,328
	W1A09130150000	9	130-150	0,8	4,0	25	1,414

12 mm	W1B12016025000	12	16-25	1,0	6,5	100	0,795
	W1B12016027000	12	16-27	1,0	6,5	100	0,859
	W1B12020032000	12	20-32	1,0	6,5	100	0,926
	W1B12025040000	12	25-40	1,0	6,5	100	0,964
	W1B12035050000	12	32-50	1,0	6,5	50	1,061
	W1B12040060000	12	40-60	1,0	6,5	50	1,107
	W1B12050070000	12	50-70	1,0	6,5	50	1,220
	W1B12060080000	12	60-80	1,0	6,5	50	1,408
	W1B12070090000	12	70-90	1,0	6,5	25	1,485
	W1B12080100000	12	80-100	1,0	6,5	25	1,580
	W1B12090110000	12	90-110	1,0	6,5	25	1,668
	W1B12100120000	12	100-120	1,0	6,5	25	1,743
	W1B12110130000	12	110-130	1,0	6,5	25	1,818
	W1B12120140000	12	120-140	1,0	6,5	25	1,913
	W1B12130150000	12	130-150	1,0	6,5	25	2,015
	W1B12140160000	12	140-160	1,0	6,5	25	2,070
	W1B12150170000	12	150-170	1,0	6,5	25	2,174
	W1B12160180000	12	160-180	1,0	6,5	25	2,379
	W1B12170190000	12	170-190	1,0	6,5	25	2,492
	W1B12180200000	12	180-200	1,0	6,5	25	2,567

STF W2




SATIBLOCK

		LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A mm	B mm	C mm	Nm	pz/nr	€ cad
9 mm	W2A09008012000	9	8-12	0,8	2,6	100	0,697
	W2A09010016000	9	10-16	0,8	2,6	100	0,721
	W2A09012020000	9	12-20	0,8	2,6	100	0,784
	W2A09016025000	9	16-25	0,8	4,0	100	0,802
	W2A09016027000	9	16-27	0,8	4,0	100	0,889
	W2A09020032000	9	20-32	0,8	4,0	100	0,906
	W2A09025040000	9	25-40	0,8	4,0	100	0,976
	W2A09035050000	9	32-50	0,8	4,0	50	1,063
	W2A09040060000	9	40-60	0,8	4,0	50	1,202
	W2A09050070000	9	50-70	0,8	4,0	50	1,238
	W2A09060080000	9	60-80	0,8	4,0	50	1,290
	W2A09070090000	9	70-90	0,8	4,0	25	1,393
	W2A09080100000	9	80-100	0,8	4,0	25	1,463
	W2A09090110000	9	90-110	0,8	4,0	25	1,585
	W2A09100120000	9	100-120	0,8	4,0	25	1,690
	W2A09110130000	9	110-130	0,8	4,0	25	1,743
	W2A09120140000	9	120-140	0,8	4,0	25	1,847
	W2A09130150000	9	130-150	0,8	4,0	25	1,969

12 mm	W2B12012020000	12	12-20	1,0	6,5	100	1,171
	W2B12016025000	12	16-25	1,0	6,5	100	1,318
	W2B12016027000	12	16-27	1,0	6,5	100	1,401
	W2B12020032000	12	20-32	1,0	6,5	100	1,422
	W2B12025040000	12	25-40	1,0	6,5	100	1,506
	W2B12035050000	12	32-50	1,0	6,5	50	1,693
	W2B12040060000	12	40-60	1,0	6,5	50	1,840
	W2B12050070000	12	50-70	1,0	6,5	50	1,966
	W2B12060080000	12	60-80	1,0	6,5	50	2,091
	W2B12070090000	12	70-90	1,0	6,5	25	2,216
	W2B12080100000	12	80-100	1,0	6,5	25	2,405
	W2B12090110000	12	90-110	1,0	6,5	25	2,468
	W2B12100120000	12	100-120	1,0	6,5	25	2,677
	W2B12110130000	12	110-130	1,0	6,5	25	2,886
	W2B12120140000	12	120-140	1,0	6,5	25	2,947
	W2B12130150000	12	130-150	1,0	6,5	25	3,219
	W2B12140160000	12	140-160	1,0	6,5	25	3,325
	W2B12150170000	12	150-170	1,0	6,5	25	3,492
	W2B12160180000	12	160-180	1,0	6,5	25	3,596
	W2B12170190000	12	170-190	1,0	6,5	25	3,722
	W2B12180200000	12	180-200	1,0	6,5	25	3,848


STF W4



SATIBLOCK

		LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESSORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A mm	B mm	C mm	Nm	pz/nr € cad	
9 mm	W4A09008012000	9	8-12	0,8	2,6	100	1,633
	W4A09010016000	9	10-16	0,8	2,6	100	1,875
	W4A09012020000	9	12-20	0,8	2,6	100	1,923
	W4A09016025000	9	16-25	0,8	4,0	100	1,972
	W4A09016027000	9	16-27	0,8	4,0	100	1,997
	W4A09020032000	9	20-32	0,8	4,0	100	2,020
	W4A09025040000	9	25-40	0,8	4,0	100	2,049
	W4A09035050000	9	32-50	0,8	4,0	50	2,190
	W4A09040060000	9	40-60	0,8	4,0	50	2,406
	W4A09050070000	9	50-70	0,8	4,0	50	2,466
	W4A09060080000	9	60-80	0,8	4,0	50	2,583
	W4A09070090000	9	70-90	0,8	4,0	25	2,718
	W4A09080100000	9	80-100	0,8	4,0	25	2,889
	W4A09090110000	9	90-110	0,8	4,0	25	3,014
	W4A09100120000	9	100-120	0,8	4,0	25	3,229
	W4A09110130000	9	110-130	0,8	4,0	25	3,430
	W4A09120140000	9	120-140	0,8	4,0	25	3,587
	W4A09130150000	9	130-150	0,8	4,0	25	3,802
12 mm	W4B12012020000	12	12-20	1,0	6,5	100	2,458
	W4B12016025000	12	16-25	1,0	6,5	100	2,552
	W4B12016027000	12	16-27	1,0	6,5	100	2,722
	W4B12020032000	12	20-32	1,0	6,5	100	2,758
	W4B12025040000	12	25-40	1,0	6,5	100	2,813
	W4B12035050000	12	32-50	1,0	6,5	50	3,028
	W4B12040060000	12	40-60	1,0	6,5	50	3,223
	W4B12050070000	12	50-70	1,0	6,5	50	3,386
	W4B12060080000	12	60-80	1,0	6,5	50	3,757
	W4B12070090000	12	70-90	1,0	6,5	25	3,958
	W4B12080100000	12	80-100	1,0	6,5	25	4,336
	W4B12090110000	12	90-110	1,0	6,5	25	4,455
	W4B12100120000	12	100-120	1,0	6,5	25	4,574
	W4B12110130000	12	110-130	1,0	6,5	25	4,811
	W4B12120140000	12	120-140	1,0	6,5	25	5,027
	W4B12130150000	12	130-150	1,0	6,5	25	5,361
	W4B12140160000	12	140-160	1,0	6,5	25	5,503
	W4B12150170000	12	150-170	1,0	6,5	25	5,739
	W4B12160180000	12	160-180	1,0	6,5	25	5,896
	W4B12170190000	12	170-190	1,0	6,5	25	6,355
	W4B12180200000	12	180-200	1,0	6,5	25	6,534


STF W5



SATIBLOCK

		LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESSORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A mm	B mm	C mm	Nm	pz/nr € cad	
9 mm	W5A09008012000	9	8-12	0,8	2,6	100	1,977
	W5A09010016000	9	10-16	0,8	2,6	100	2,046
	W5A09012020000	9	12-20	0,8	2,6	100	2,130
	W5A09016025000	9	16-25	0,8	4,0	100	2,173
	W5A09016027000	9	16-27	0,8	4,0	100	2,582
	W5A09020032000	9	20-32	0,8	4,0	100	2,835
	W5A09025040000	9	25-40	0,8	4,0	100	3,003
	W5A09035050000	9	32-50	0,8	4,0	50	3,198
	W5A09040060000	9	40-60	0,8	4,0	50	3,581
	W5A09050070000	9	50-70	0,8	4,0	50	3,660
	W5A09060080000	9	60-80	0,8	4,0	50	3,875
	W5A09070090000	9	70-90	0,8	4,0	25	4,086
	W5A09080100000	9	80-100	0,8	4,0	25	4,371
	W5A09090110000	9	90-110	0,8	4,0	25	4,549
	W5A09100120000	9	100-120	0,8	4,0	25	4,917
	W5A09110130000	9	110-130	0,8	4,0	25	5,143
	W5A09120140000	9	120-140	0,8	4,0	25	5,406
	W5A09130150000	9	130-150	0,8	4,0	25	5,638
12 mm	W5B12012020000	12	12-20	1,0	6,5	100	2,803
	W5B12016025000	12	16-25	1,0	6,5	100	2,910
	W5B12016027000	12	16-27	1,0	6,5	100	2,945
	W5B12020032000	12	20-32	1,0	6,5	100	3,084
	W5B12025040000	12	25-40	1,0	6,5	100	3,183
	W5B12035050000	12	32-50	1,0	6,5	50	3,504
	W5B12040060000	12	40-60	1,0	6,5	50	3,754
	W5B12050070000	12	50-70	1,0	6,5	50	3,940
	W5B12060080000	12	60-80	1,0	6,5	50	4,417
	W5B12070090000	12	70-90	1,0	6,5	25	4,697
	W5B12080100000	12	80-100	1,0	6,5	25	5,007
	W5B12090110000	12	90-110	1,0	6,5	25	5,217
	W5B12100120000	12	100-120	1,0	6,5	25	5,512
	W5B12110130000	12	110-130	1,0	6,5	25	5,875
	W5B12120140000	12	120-140	1,0	6,5	25	6,296
	W5B12130150000	12	130-150	1,0	6,5	25	6,590
	W5B12140160000	12	140-160	1,0	6,5	25	6,812
	W5B12150170000	12	150-170	1,0	6,5	25	7,105
	W5B12160180000	12	160-180	1,0	6,5	25	7,289
	W5B12170190000	12	170-190	1,0	6,5	25	7,894
	W5B12180200000	12	180-200	1,0	6,5	25	8,146


STC W2



SATIBLOCK

		LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESSORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A mm	B mm	C mm	Nm	pz/nr	€ cad
21 mm	WC221026028000	21	26-28	M6x50	10,4	50	2,61
	WC221029031000	21	29-31	M6x50	10,4	50	2,72
	WC221032035000	21	32-35	M6x50	10,4	50	2,75
	WC221036039000	21	36-39	M6x50	10,4	50	2,79
	WC221040043000	21	40-43	M6x50	10,4	50	2,84
	WC221044047000	21	44-47	M6x50	10,4	50	2,92
	WC221048051000	21	48-51	M6x60	10,4	50	3,12
	WC221052055000	21	52-55	M6x60	10,4	50	3,33
	WC221056059000	21	56-59	M6x60	10,4	50	3,63
	WC221060063000	21	60-63	M6x60	10,4	50	3,93
	WC221064067000	21	64-67	M6x55	10,4	50	4,03
24 mm	WC224068073000	24	68-73	M8x70	24,6	25	4,12
	WC224074079000	24	74-79	M8x70	24,6	25	4,58
	WC224080085000	24	80-85	M8x70	24,6	25	4,70
	WC224086091000	24	86-91	M8x80	24,6	25	4,81
	WC224092097000	24	92-97	M8x80	24,6	25	4,94
	WC224098103000	24	98-103	M8x80	24,6	25	5,05
	WC224104112000	24	104-112	M8x90	24,6	25	5,25
	WC224113121000	24	113-121	M8x90	24,6	25	5,38
	WC224122130000	24	122-130	M8x90	24,6	25	5,54
26 mm	WC226131139000	26	131-139	M10x100	50,1	20	7,58
	WC226140148000	26	140-148	M10x100	50,1	20	7,74
	WC226149161000	26	149-161	M10x100	50,1	20	8,24
	WC226162174000	26	162-174	M10x100	50,1	20	9,23
	WC226175187000	26	175-187	M10x100	50,1	10	9,49
	WC226188200000	26	188-200	M10x100	50,1	10	9,76
	WC226201213000	26	201-213	M10x100	50,1	10	9,99
	WC226214226000	26	214-226	M10x100	50,1	10	10,36
	WC226227239000	26	227-239	M10x100	50,1	10	10,82
	WC226240252000	26	240-252	M10x100	50,1	10	11,06


STC W4



SATIBLOCK

		LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESSORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A mm	B mm	C mm	Nm	pz/nr	€ cad
21 mm	WC421026028000	21	26-28	M6x50	5,9/10,4	50	6,13
	WC421029031000	21	29-31	M6x50	5,9/10,4	50	6,22
	WC421032035000	21	32-35	M6x50	5,9/10,4	50	6,39
	WC421036039000	21	36-39	M6x50	5,9/10,4	50	6,48
	WC421040043000	21	40-43	M6x50	5,9/10,4	50	6,57
	WC421044047000	21	44-47	M6x50	5,9/10,4	50	6,65
	WC421048051000	21	48-51	M6x60	5,9/10,4	50	6,74
	WC421052055000	21	52-55	M6x60	5,9/10,4	50	6,83
	WC421056059000	21	56-59	M6x60	5,9/10,4	50	6,91
	WC421060063000	21	60-63	M6x60	5,9/10,4	50	7,00
	WC421064067000	21	64-67	M6x60	5,9/10,4	50	8,47
24 mm	WC424068073000	24	68-73	M8x70	14,5/25,5	25	9,07
	WC424074079000	24	74-79	M8x70	14,5/25,5	25	9,20
	WC424080085000	24	80-85	M8x70	14,5/25,5	25	9,42
	WC424086091000	24	86-91	M8x80	14,5/25,5	25	9,56
	WC424092097000	24	93-97	M8x80	14,5/25,5	25	9,78
	WC424098103000	24	98-103	M8x80	14,5/25,5	25	9,95
	WC424104112000	24	104-112	M8x90	14,5/25,5	25	10,26
	WC424113121000	24	113-121	M8x90	14,5/25,5	25	10,50
	WC424122130000	24	122-130	M8x90	14,5/25,5	25	10,69
26 mm	WC426131139000	26	131-139	M8x100	14,5/25,5	20	15,44
	WC426140148000	26	140-148	M8x100	14,5/25,5	20	15,71
	WC426149161000	26	149-161	M8x100	14,5/25,5	20	16,56
	WC426162174000	26	162-174	M8x100	14,5/25,5	20	17,77
	WC426175187000	26	175-187	M8x100	14,5/25,5	10	18,14
	WC426188200000	26	188-200	M8x100	14,5/25,5	10	18,53
	WC426201213000	26	201-213	M8x100	14,5/25,5	10	18,84
	WC426214226000	26	214-226	M8x100	14,5/25,5	10	19,49
	WC426227239000	26	227-239	M8x100	14,5/25,5	10	20,03
	WC426240252000	26	240-252	M8x100	14,5/25,5	10	20,42


STC W5



SATIBLOCK

		LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESSORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A mm	B mm	C mm	Nm	pz/nr	€ cad
21 mm	WC521023025000	21	23-25	M6	10	50	10,85
	WC521026028000	21	26-28	M6	10	50	10,85
	WC521029031000	21	29-31	M6	10	50	10,91
	WC521032035000	21	32-35	M6	10	50	11,19
	WC521036039000	21	36-39	M6	10	50	12,00
	WC521040043000	21	40-43	M6	10	50	12,13
	WC521044047000	21	44-47	M6	10	50	12,32
	WC521048051000	21	48-51	M6	10	50	12,52
	WC521052055000	21	52-55	M6	10	50	12,60
	WC521056059000	21	56-59	M6	10	50	12,75
	WC521060063000	21	60-63	M6	10	50	13,20
	WC521064067000	21	64-67	M6	10	50	14,06
24 mm	WC524068073000	24	68-73	M8	24	25	23,89
	WC524074079000	24	74-79	M8	24	25	24,36
	WC524080085000	24	80-85	M8	24	25	24,76
	WC524086091000	24	86-91	M8	24	25	25,67
	WC524092097000	24	92-97	M8	24	25	25,96
	WC524098103000	24	98-103	M8	24	25	26,45
	WC524104112000	24	104-112	M8	24	25	28,83
	WC524113121000	24	113-121	M8	24	25	29,28
	WC524122130000	24	122-130	M8	24	25	29,68
26 mm	WC526131139000	26	131-139	M8	24	20	29,80
	WC526140148000	26	140-148	M8	24	20	29,83
	WC526149161000	26	149-161	M8	24	20	30,27
	WC526162174000	26	162-174	M8	24	20	30,45
	WC526175187000	26	175-187	M8	24	10	31,24
	WC526188200000	26	188-200	M8	24	10	32,13
	WC526201213000	26	201-213	M8	24	10	33,18
	WC526214226000	26	214-226	M8	24	10	34,16
	WC526227239000	26	227-239	M8	24	10	35,00
	WC526240252000	26	240-252	M8	24	10	35,77


MAGNUM W2



SATIBLOCK

		LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESSORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A mm	B mm	C mm	Nm	pz/nr	€ cad
26 mm	WC2C26245260000	26	245-260	M10	24	1	35,56
	WC2C26250265000	26	250-265	M10	24	1	35,89
	WC2C26255270000	26	255-270	M10	24	1	36,13
	WC2C26260275000	26	260-275	M10	24	1	36,54
	WC2C26265280000	26	265-280	M10	24	1	36,54
	WC2C26270285000	26	270-285	M10	24	1	36,61
	WC2C26275290000	26	275-290	M10	24	1	36,86
	WC2C26280295000	26	280-295	M10	24	1	37,91
	WC2C26285300000	26	285-300	M10	24	1	37,91
	WC2C26290305000	26	290-305	M10	24	1	38,16
	WC2C26295310000	26	295-310	M10	24	1	38,97
	WC2C26300315000	26	300-315	M10	24	1	39,78
	WC2C26305320000	26	305-320	M10	24	1	40,66
	WC2C26310325000	26	310-325	M10	24	1	42,37
	WC2C26315330000	26	315-330	M10	24	1	42,69
	WC2C26320335000	26	320-335	M10	24	1	42,93
	WC2C26325340000	26	325-340	M10	24	1	43,83
	WC2C26335350000	26	335-350	M10	24	1	44,71
	WC2C26340355000	26	340-355	M10	24	1	45,61
	WC2C26345360000	26	345-360	M10	24	1	46,90
	WC2C26350365000	26	350-365	M10	24	1	46,90
	WC2C26360375000	26	360-375	M10	24	1	47,30
	WC2C26375390000	26	375-390	M10	24	1	47,47
	WC2C26390405000	26	390-405	M10	24	1	47,95
	WC2C26395410000	26	395-410	M10	24	1	48,76
	WC2C26400415000	26	400-415	M10	24	1	49,50
	WC2C26410425000	26	405-420	M10	24	1	49,66
	WC2C26410425000	26	410-425	M10	24	1	50,71
	WC2C26415430000	26	415-430	M10	24	1	51,12
	WC2C26425440000	26	425-440	M10	24	1	51,76
	WC2C26430445000	26	430-445	M10	24	1	53,06
	WC2C26435450000	26	435-450	M10	24	1	53,71
	WC2C26440455000	26	440-455	M10	24	1	54,52
	WC2C26450465000	26	450-465	M10	24	1	55,57
	WC2C26465480000	26	465-480	M10	24	1	57,02
	WC2C26490505000	26	490-505	M10	24	1	58,57
	WC2C26500515000	26	500-515	M10	24	1	60,26
	WC2C26510525000	26	510-525	M10	24	1	61,16
	WC2C26515530000	26	515-530	M10	24	1	61,97
	WC2C26520535000	26	520-535	M10	24	1	63,75
	WC2C26535550000	26	535-550	M10	24	1	67,48
	WC2C26550565000	26	550-565	M10	24	1	71,93
	WC2C26590605000	26	590-605	M10	24	1	77,11
	WC2C26600615000	26	600-615	M10	24	1	80,11
	WC2C26610625000	26	610-625	M10	24	1	83,84
	WC2C26695710000	26	695-710	M10	24	1	100,04
	WC2C26700715000	26	700-715	M10	24	1	103,28
	WC2C26790805000	26	790-805	M10	24	1	111,78


MAGNUM W4



SATIBLOCK

	LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESSORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
	A mm	B mm	C mm	Nm	pz/nr	€ cad
26 mm	WC4C26245260000	26	245-260	M8	24	1 53,38
	WC4C26250265000	26	250-265	M8	24	1 53,87
	WC4C26255270000	26	255-270	M8	24	1 54,19
	WC4C26260275000	26	260-275	M8	24	1 54,84
	WC4C26265280000	26	265-280	M8	24	1 54,84
	WC4C26270285000	26	270-285	M8	24	1 54,92
	WC4C26275290000	26	275-290	M8	24	1 55,33
	WC4C26280295000	26	280-295	M8	24	1 56,86
	WC4C26285300000	26	285-300	M8	24	1 57,02
	WC4C26290305000	26	290-305	M8	24	1 57,27
	WC4C26295310000	26	295-310	M8	24	1 58,48
	WC4C26295310000	26	300-315	M8	24	1 59,70
	WC4C26305320000	26	305-320	M8	24	1 61,00
	WC4C26310325000	26	310-325	M8	24	1 63,59
	WC4C26315330000	26	315-330	M8	24	1 64,08
	WC4C26320335000	26	320-335	M8	24	1 64,40
	WC4C26325340000	26	325-340	M8	24	1 65,70
	WC4C26335350000	26	335-350	M8	24	1 67,07
	WC4C26340355000	26	340-355	M8	24	1 68,45
	WC4C26345360000	26	345-360	M8	24	1 70,39
	WC4C26350365000	26	350-365	M8	24	1 70,39
	WC4C26360375000	26	360-375	M8	24	1 70,96
	WC4C26375390000	26	375-390	M8	24	1 71,20
	WC4C26390405000	26	390-405	M8	24	1 71,93
	WC4C26395410000	26	395-410	M8	24	1 73,15
	WC4C26400415000	26	400-415	M8	24	1 74,28
	WC4C26410425000	26	405-420	M8	24	1 74,52
	WC4C26410425000	26	410-425	M8	24	1 76,06
	WC4C26415430000	26	415-430	M8	24	1 76,71
	WC4C26425440000	26	425-440	M8	24	1 77,68
	WC4C26430445000	26	430-445	M8	24	1 79,63
	WC4C26435450000	26	435-450	M8	24	1 80,60
	WC4C26440455000	26	440-455	M8	24	1 81,09
	WC4C26450465000	26	450-465	M8	24	1 83,35
	WC4C26465480000	26	465-480	M8	24	1 85,54
	WC4C26490505000	26	490-505	M8	24	1 87,89
	WC4C26500515000	26	500-515	M8	24	1 90,40
	WC4C26510525000	26	510-525	M8	24	1 91,78
	WC4C26515530000	26	515-530	M8	24	1 92,99
	WC4C26520535000	26	520-535	M8	24	1 95,67
	WC4C26535550000	26	535-550	M8	24	1 101,25
	WC4C26550565000	26	550-565	M8	24	1 107,89
	WC4C26590605000	26	590-605	M8	24	1 115,67
	WC4C26600615000	26	600-615	M8	24	1 120,20
	WC4C26610625000	26	610-625	M8	24	1 125,80
	WC4C26695710000	26	695-710	M8	24	1 150,10
	WC4C26700715000	26	700-715	M8	24	1 154,96
	WC4C26790805000	26	790-805	M8	24	1 167,67


STM




SATIBLOCK

	LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESSORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
	A mm	B mm	C mm	Nm	pz/nr	€ cad
9 mm	WCM007009	9	7-9	0,6	1,2	2000 0,713
	WCM009010	9	9-10	0,6	1,2	2000 0,713
	WCM100000	9	8,5-11	0,6	1,2	2000 0,739
	WCM110000	9	9,5-12	0,6	1,2	2000 0,747
	WCM120000	9	11-13	0,6	1,2	3000 0,766
	WCM130000	9	11,5-14	0,6	1,2	3000 0,766
	WCM140000	9	13-15	0,6	1,2	3000 0,766
	WCM150000	9	14-16	0,6	1,2	3000 0,783
	WCM160000	9	15-17	0,6	1,2	3000 0,783
	WCM170000	9	16-18	0,6	1,2	2500 0,809
	WCM180000	9	17-19	0,6	1,2	2500 0,818
	WCM190000	9	18-21	0,6	1,2	2500 0,818
	WCM200000	9	19-21	0,6	1,2	2500 0,827
	WCM290000	9	24-29	0,6	1,2	1200 0,870


STS

[illegible]

SDB

[illegible]


SGT



SATIBLOCK


		LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A mm	B mm	C mm	Nm	pz/nr	€ cad
5 mm	WGT05070	5	5,8-7,0	0,48	--	2500	0,565
	WGT05080	5	6,8-8,0	0,48	--	2500	0,565
	WGT05087	5	7,0-8,7	0,48	--	2500	0,565
	WGT05090	5	7,3-9,0	0,48	--	2500	0,605
	WGT05095	5	7,8-9,5	0,48	--	2500	0,605
	WGT05100	5	8,3-10,0	0,48	--	2500	0,605
	WGT05105	5	8,8-10,5	0,48	--	2500	0,605
	WGT05109	5	9,2-10,9	0,48	--	2500	0,605
	WGT05113	5	9,6-11,3	0,48	--	2500	0,605
	WGT05118	5	10,1-11,8	0,48	--	2500	0,605
7 mm	WGT07123	7	9,8-12,3	0,56	--	2500	0,726
	WGT07128	7	10,3-12,8	0,56	--	2500	0,726
	WGT07133	7	10,8-13,3	0,56	--	2500	0,726
	WGT07138	7	11,3-13,8	0,56	--	2500	0,726
	WGT07140	7	11,5-14,0	0,56	--	2500	0,807
	WGT07145	7	12,0-14,5	0,56	--	2500	0,807
	WGT07148	7	12,3-14,8	0,56	--	2500	0,807
	WGT07153	7	12,8-15,3	0,56	--	2500	0,807
	WGT07127	7	13,2-15,7	0,56	--	2500	0,847
	WGT07162	7	13,7-16,2	0,56	--	2500	0,847
	WGT07164	7	13,9-16,4	0,56	--	2500	0,847
	WGT07170	7	14,5-17,0	0,56	--	2500	0,847
	WGT07180	7	15,5-18,0	0,56	--	2500	0,867
	WGT07185	7	16,0-18,5	0,56	--	2500	0,867
	WGT07192	7	16,0-19,2	0,56	A RICHIESTA / ON DEMAND		
	WGT07198	7	16,6-19,8	0,56	A RICHIESTA / ON DEMAND		
	WGT07210	7	17,8-21,0	0,56	A RICHIESTA / ON DEMAND		
	WGT07226	7	19,4-22,6	0,56	A RICHIESTA / ON DEMAND		
	WGT07235	7	20,3-23,5	0,56	A RICHIESTA / ON DEMAND		
	WGT07241	7	20,9-24,1	0,56	A RICHIESTA / ON DEMAND		
	WGT07256	7	22,4-25,6	0,56	A RICHIESTA / ON DEMAND		
	WGT07271	7	23,9-27,1	0,56	A RICHIESTA / ON DEMAND		
	WGT07286	7	25,4-28,6	0,56	A RICHIESTA / ON DEMAND		
	WGT07301	7	26,9-30,1	0,56	A RICHIESTA / ON DEMAND		
	WGT07308	7	27,6-30,8	0,56	A RICHIESTA / ON DEMAND		
	WGT07316	7	28,4-31,6	0,56	A RICHIESTA / ON DEMAND		
	WGT07331	7	29,9-33,1	0,56	A RICHIESTA / ON DEMAND		
	WGT07346	7	31,4-34,6	0,56	A RICHIESTA / ON DEMAND		
	WGT07361	7	32,9-36,1	0,56	A RICHIESTA / ON DEMAND		
	WGT07376	7	34,4-37,6	0,56	A RICHIESTA / ON DEMAND		
	WGT07381	7	34,9-38,1	0,56	A RICHIESTA / ON DEMAND		
	WGT07396	7	36,4-39,6	0,56	A RICHIESTA / ON DEMAND		
	WGT07410	7	37,8-41,0	0,56	A RICHIESTA / ON DEMAND		
	WGT07455	7	42,3-45,5	0,56	A RICHIESTA / ON DEMAND		

SBV




SATIBLOCK

		LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SPESORE THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA RECOMMENDED TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A mm	B mm	C mm	Nm	pz/nr	€ cad
	WBV012000	9,5-12	1.5	M3	--	2500	0,537
	WBV013000	10,5-13	1.5	M3	--	2500	0,537
	WBV014000	11,5-14	1.5	M3	--	2500	0,537
	WBV015000	12,5-15	1.5	M3	--	2500	0,537
	WBV016000	13-16	1.8	M3	--	3000	0,537
	WBV017000	13,5-17	1.8	M3	--	3000	0,537
	WBV018000	15-18	1.8	M3	--	3000	0,537
	WBV019000	15,5-19	1.8	M3	--	2500	0,537
	WBV020000	17-20	1.8	M3	--	2500	0,537
	WBV021000	17,5-21	1.8	M3	--	2000	0,537
	WBV022000	18,5-22	2.0	M4	--	1500	0,605
	WBV023000	19-23	2.0	M4	--	1500	0,673
	WBV025000	21,5-25	2.0	M4	--	1500	0,673
	WBV027000	23,5-27	2.2	M4	--	1500	0,673
	WBV029000	25-29	2.2	M4	--	1000	0,739
	WBV031000	27-31	2.2	M4	--	1000	0,739
	WBV033000	29-33	2.2	M4	--	1000	0,739
	WBV035000	30,5-35	2.2	M4	--	1000	0,739
	WBV037000	33-37	2.2	M4	--	1000	0,739
	WBV040000	35,5-40	2.2	M4	--	800	0,739
	WBV043000	38,5-43	2.2	M4	--	800	0,739
	WBV046000	41-46	2.5	M5	--	500	0,874
	WBV049000	43,5-49	2.5	M5	--	500	0,874
	WBV053000	46,5-53	2.5	M5	--	400	0,874
	WBV056000	50,5-56	2.5	M5	--	400	0,874
	WBV060000	53,5-60	2.5	M6	--	400	0,874
	WBV064000	56,5-64	2.8	M6	A RICHIESTA / ON DEMAND		
	WBV068000	60-68	2.8	M6	A RICHIESTA / ON DEMAND		
	WBV072000	64-72	2.8	M6	A RICHIESTA / ON DEMAND		
	WBV076000	68,5-76	2.8	M6	A RICHIESTA / ON DEMAND		
	WBV080000	72,5-80	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV084000	76,5-84	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV088000	80-88	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV096000	88-96	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV100000	92-100	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV104000	95-104	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV108000	98-108	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV112000	103-112	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV116000	109-116	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV120000	111-120	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV124000	115-124	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV128000	120-128	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV132000	124-132	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV140000	125-140	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV150000	134-150	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV160000	145-160	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV165000	150-165	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV170000	155-170	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV180000	165-180	3.0	M6	A RICHIESTA / ON DEMAND		
	WBV190000	175-190	3.0	M6	A RICHIESTA / ON DEMAND		



SATIBLOCK

	LARG. NASTRO BAND WIDTH	DIAM. DIAM.	SCATOLE BOX	PREZZO PRICE	SCATOLE BOX	PREZZO PRICE	SCATOLE BOX	PREZZO PRICE
	A mm	B mm	pz/nr	€ cad	pz/nr	€ cad	pz/nr	€ cad
WBS056007	6,6-7	1.0	25000	0,057	8300	0,171	2500	0,565
WBS070075	7-7,5	1.0	20000	0,051	8300	0,121	2000	0,504
WBS073078	7,3-7,8	1.0	20000	0,051	8300	0,121	2000	0,504
WBS078083	7,8-8,3	1.0	20000	0,051	8300	0,123	2000	0,511
WBS083088	8,3-8,8	1.0	12000	0,052	6600	0,094	1200	0,517
WBS088093	8,8-9,3	1.0	15000	0,052	5000	0,154	1500	0,517
WBS093098	9,3-9,8	1.0	15000	0,052	5000	0,158	1500	0,524
WBS098104	9,8-10,4	1.2	10000	0,059	3300	0,181	1000	0,597
WBS104110	10,4-11	1.2	10000	0,062	3300	0,188	1000	0,618
WBS110116	11-11,6	1.2	9000	0,063	3300	0,171	900	0,625
WBS116122	11,6-12,2	1.5	6000	0,080	2000	0,240	600	0,799
WBS122129	12,2-12,9	1.5	5000	0,073	2000	0,183	500	0,733
WBS124131	12,4-13,10	1.2	7000	0,065	2000	0,229	700	0,652
WBS129136	12,9-13,6	1.5	4500	0,075	2000	0,168	400	0,839
WBS133141	13,3-14,1	1.5	4000	0,083	1300	0,256	400	0,834
WBS136144	13,6-14,4	1.5	4000	0,075	1300	0,231	400	0,753
WBS144151	14,4-15,10	1.8	3000	0,089	1300	0,203	300	0,880
WBS148159	14,8-15,9	1.6	3500	0,081	1300	0,216	300	0,941
WBS151159	15,10-15,9	1.8	3000	0,087	1000	0,262	300	0,874
WBS154162	15,4-16,2	1.8	3000	0,089	1000	0,264	300	0,880
WBS159168	15,9-16,8	1.8	3000	0,092	1000	0,274	300	0,915
WBS168177	16,8-17,7	1.8	3000	0,092	1000	0,275	300	0,920
WBS177187	17,7-18,7	1.9	2200	0,099	700	0,311	200	1,086
WBS187195	18,7-19,5	2.0	2000	0,111	700	0,319	200	1,116
WBS196205	19,6-20,5	2.0	1500	0,121	700	0,259	200	0,907
WBS206216	20,6-21,6	2.0	1500	0,123	700	0,265	200	0,928
WBS215226	21,5-22,6	2.2	1300	0,148	500	0,382	100	1,914
WBS220231	22,0-23,1	2.2	1300	0,153	500	0,397	100	1,993
WBS224236	22,4-23,6	2.2	1200	0,149	400	0,447	100	1,791
WBS235247	23,5-24,7	2.2	1200	0,154	400	0,465	100	1,863
WBS245258	24,5-25,8	2.5	1000	0,179	300	0,597	100	1,794
WBS251264	25,1-26,4	2.5	900	0,183	300	0,546	100	1,639
WBS256269	25,6-26,9	2.5	800	0,180	300	0,483	100	1,447
WBS267281	26,7-28,1	2.5	750	0,189	250	0,566	100	1,417
WBS279294	27,9-29,4	2.5	750	0,198	250	0,591	100	1,477
WBS293309	29,3-30,9	2.8	750	0,229	200	0,687	100	1,375
WBS304320	30,4-32	2.8	500	0,238	200	0,593	100	1,187
WBS318334	31,8-33,4	2.8	500	0,242	200	0,605	100	1,210
WBS332348	33,2-34,8	2.8	450	0,256	200	0,576	100	1,152
WBS339357	33,9-35,7	2.8	500	0,254	200	0,572	100	1,143
WBS346364	34,6-36,4	3.0	450	0,295	200	0,665	100	1,331
WBS362380	36,2-38	3.0	450	0,305	200	0,687	100	1,373
WBS377397	37,7-39,7	3.2	400	0,343	200	0,687	100	1,374
WBS385405	38,5-40,5	3.2	400	0,359	200	0,716	100	1,432
WBS389408	38,9-40,8	3.2	350	0,320	-	-	-	-
WBS394414	39,4-41,4	3.2	350	0,315	-	-	-	-
WBS407423	40,7-42,3	3.2	350	0,333	-	-	-	-
WBS410432	41-43,2	3.2	300	0,333	-	-	-	-
WBS428450	42,8-45	3.2	300	0,320	-	-	-	-
WBS446468	44,6-46,8	3.2	300	0,350	-	-	-	-
WBS465489	46,5-48,9	3.2	300	0,350	-	-	-	-
WBS488509	48,8-50,9	3.5	200	0,472	-	-	-	-
WBS506532	50,6-53,2	3.5	200	0,456	-	-	-	-
WBS527554	52,7-55,4	3.5	200	0,456	-	-	-	-
WBS560588	56-58,8	3.5	150	0,484	-	-	-	-
WBS582610	58,2-61	3.5	150	0,492	-	-	-	-

[illegible]

DIN 3016 W1

COLLARI GOMMATI / RUBBER CLAMPS



		DIAM. DIAM.	FORO ATTACCO FIXING HOLE	SPessore THICKNESS	COPPIA DI SERRAGGIO RACCOMANDATA TIGHTENING TORQUE	SCATOLE BOX	PREZZO PRICE
		A	B	C			€
		mm	mm	mm	Nm	pz/nr	cad
15 mm	WCGC115006	6	6,4	0,6	--	100	0,81
	WCGC115008	8	6,4	0,6	--	100	0,81
	WCGC115010	10	6,4	0,6	--	100	0,82
	WCGC115012	12	6,4	0,6	--	100	0,93
	WCGC115014	14	6,4	0,6	--	100	0,97
	WCGC115015	15	6,4	0,8	--	100	1,04
	WCGC115016	16	6,4	0,8	--	100	1,05
	WCGC115018	18	6,4	0,8	--	100	1,10
	WCGC115020	20	6,4	0,8	--	100	1,14
	WCGC115022	22	6,4	0,8	--	100	1,19
	WCGC115024	24	6,4	0,8	--	100	1,25
	WCGC115025	25	6,4	0,8	--	100	1,29
	WCGC115028	28	6,4	0,8	--	100	1,43
	WCGC115030	30	6,4	0,8	--	100	1,50
	WCGC115032	32	6,4	0,8	--	100	1,58
WCGC115035	35	6,4	0,8	--	100	1,72	
WCGC115038	38	6,4	0,8	--	100	1,76	
WCGC115040	40	6,4	0,8	--	100	1,85	
20 mm	WCGC120010	10	8,4	0,8	--	50	1,05
	WCGC120011	11	8,4	0,8	--	50	1,09
	WCGC120012	12	8,4	0,8	--	50	1,12
	WCGC120013	13	8,4	0,8	--	50	1,17
	WCGC120014	14	8,4	0,8	--	50	1,20
	WCGC120015	15	8,4	0,8	--	50	1,24
	WCGC120016	16	8,4	0,8	--	50	1,26
	WCGC120017	17	8,4	0,8	--	50	1,32
	WCGC120018	18	8,4	0,8	--	50	1,34
	WCGC120020	20	8,4	0,8	--	50	1,38
	WCGC120022	22	8,4	0,8	--	50	1,45
	WCGC120024	24	8,4	0,8	--	50	1,52
	WCGC120025	25	8,4	0,8	--	50	1,56
	WCGC120026	26	8,4	1,0	--	50	1,60
	WCGC120028	28	8,4	1,0	--	50	1,66
	WCGC120030	30	8,4	1,0	--	50	1,74
	WCGC120032	32	8,4	1,0	--	50	1,81
	WCGC120034	34	8,4	1,0	--	50	1,89
	WCGC120035	35	8,4	1,0	--	50	1,92
	WCGC120036	36	8,4	1,0	--	50	1,95
	WCGC120038	38	8,4	1,0	--	50	2,03
	WCGC120040	40	8,4	1,0	--	50	2,11
	WCGC120042	42	8,4	1,0	--	50	2,17
	WCGC120044	44	8,4	1,0	--	50	2,25
	WCGC120046	46	8,4	1,0	--	50	2,32
	WCGC120048	48	8,4	1,0	--	50	2,40
	WCGC120050	50	8,4	1,0	--	50	2,46
WCGC120052	52	8,4	1,0	--	50	2,54	
WCGC120054	54	8,4	1,0	--	50	2,61	
WCGC120056	56	8,4	1,0	--	50	2,68	
WCGC120058	58	8,4	1,0	--	50	2,75	
WCGC120060	60	8,4	1,0	--	50	2,83	
WCGC120062	62	8,4	1,0	--	50	2,91	

BANDI BLOCK

LINEE DI SERRAGGIO

SATIBLOCK

SNA

NASTRI BANDI-BLOCK

BANDS BANDI-BLOCK



MATERIALE MATERIAL	CODICE CODE	LARGHEZZA WIDTH ↔ mm	SPESSORE THICKNESS ↕ mm	CARICO MEDIO DI ROTTURA AVERAGE BREAKING STRENGTH ↕ kg	SCATOLE BOX 📦 mt/cad	PESO WEIGHT 📊 kg/cad	PREZZO PRICE € rt
Acciaio inox Stainless steel AISI 201	WNA095201	9,50	0,65	410	30	1,5	52,20
	WNA127201	12,70	0,75	680	30	2,3	75,60
	WNA158201	15,80	0,75	850	30	2,9	86,40
	WNA195201	19,05	0,75	1020	30	3,5	105,00
Acciaio inox Stainless steel AISI 304	WNA095304	9,50	0,65	390	30	1,5	58,73
	WNA127304	12,70	0,75	500	30	2,3	88,80
	WNA158304	15,80	0,75	650	30	2,9	103,80
	WNA195304	19,05	0,75	950	30	3,5	126,00
Acciaio inox Stainless steel AISI 316	WNA095316	9,50	0,65	340	30	1,5	91,80
	WNA127316	12,70	0,75	540	30	2,3	132,60
	WNA158316	15,80	0,75	680	30	2,9	152,40
	WNA195316	19,05	0,75	820	30	3,5	196,80

SNG

GRAFFE BANDI-BLOC

BUCKLES BANDI-BLOCK



MATERIALE MATERIAL	CODICE CODE	LARGHEZZA WIDTH ↔ mm	PER NASTRI FOR BAND	CARICO MEDIO DI ROTTURA AVERAGE BREAKING STRENGTH ↕ kg	SCATOLE BOX 📦 pz/cad	PESO WEIGHT 📊 kg/cad	PREZZO PRICE € ctn
Acciaio inox Stainless steel AISI 304	WNG095304	9,50	AISI 201	390	100	0,5	31,80
	WNG127304	12,70	AISI 201	500	100	1,0	45,00
	WNG158304	15,80	AISI 201	650	100	1,3	58,08
	WNG195304	19,05	AISI 201	950	100	1,6	66,84
Acciaio inox Stainless steel AISI 316	WNG095316	9,50	AISI 316	340	100	0,5	57,00
	WNG127316	12,70	AISI 316	540	100	1,0	71,40
	WNG158316	15,80	AISI 316	680	100	1,3	81,60
	WNG195316	19,05	AISI 316	820	100	1,6	129,60

SNU

UTENSILE MANUALE

TOOL BANDI - BLOCK



CODICE CODE	PER NASTRI FOR BAND	SCATOLE BOX 📦 pz/cad	PESO WEIGHT 📊 kg/cad	PREZZO PRICE € cad
WNU001	AISI 201 AISI 304 AISI 316	1	2,0	240,00

1. PREMESSA

- Le presenti condizioni generali di vendita ("CGV") regolano tutte le vendite e le consegne dei prodotti da parte di Sati Group Spa ("Prodotti" e "Venditore") ad ogni cliente indicato in ciascun ordine di Prodotti ricevuto dal Venditore ("Acquirente"), sempre che l'ordine stesso venga accettato dal Venditore, così come ad ogni ordine successivo e/o supplemento di ordine e/o rapporto commerciale passato intervenuto tra le Parti. In particolare, le CGV annullano e sostituiscono ogni precedente pattuizione tra le Parti, sia orale, sia scritta, e prevalgono rispetto a qualsiasi uso o consuetudine commerciale eventualmente seguiti o accettati dalle Parti.
- Ogni ordine implica, di diritto, accettazione da parte dell'Acquirente delle presenti CGV, con esclusione di ogni termine e condizione generale e/o particolare di acquisto dell'Acquirente ed efficacia prevalente delle presenti CGV, salvo diverso accordo scritto tra le Parti.
- La rinuncia, anche temporanea, del Venditore ai diritti di cui alle clausole delle presenti CGV non comporta la futura rinuncia all'applicazione e/o vigore delle disposizioni di cui alle CGV.
- Il Venditore si riserva il diritto di modifi care, integrare o variare le CGV, allegando tali variazioni alle o erte ovvero a qualsivoglia corrispondenza inviata per iscritto all'Acquirente.

2. ORDINI E ACCETTAZIONE

- L'ordine dell'Acquirente vale come proposta di acquisto irrevocabile.
- Il contratto di vendita si riterrà concluso soltanto alla ricezione da parte dell'Acquirente del documento di conferma dell'ordine del Venditore. In particolare, per ogni ordine (formale o negoziato verbalmente) il Venditore emetterà, a propria discrezione e in caso di accettazione dell'ordine, il documento di Conferma d'ordine ("CDO"). L'Acquirente è tenuto a sottoscrivere per accettazione la CDO entro 24 ore dalla sua ricezione; in caso contrario, la CDO si intenderà tacitamente accettata e il Venditore si riterrà autorizzato alla fornitura, così come specificato nella CDO.
- Nel caso di parziale accettazione del documento di CDO da parte dell'Acquirente entro i termini di cui al precedente articolo 2.2., il Venditore valuterà se accettare o meno le modifi che proposte dall'Acquirente e, in caso di approvazione, riemetterà nuova CDO in base ai nuovi accordi intrapresi con l'Acquirente.
- Il mancato ritiro della merce da parte dell'Acquirente a seguito della CDO farà sorgere in capo al Venditore il diritto alla liquidazione di un importo pari al 100% del valore del materiale impiegato per la fornitura di quanto oggetto della CDO, salvo il maggior danno.
- In ogni caso e comunque, le offerte del Venditore non sono da considerarsi vincolanti per il Venditore, in particolare con riferimento alle quantità, ai prezzi e ai termini di consegna, in quanto documenti soggetti a trattativa e negoziazione successiva.
- Resta inteso tra le Parti che eventuali aggiunte o modifi che apportate all'ordine, anche a mezzo di agenti del Venditore non saranno vincolanti per il Venditore medesimo, che potrà accettarle o rifiutarle senza pregiudizio per l'ordine originario.
- In ogni caso e comunque, anche dopo la conferma dell'ordine, il Venditore si riserva la facoltà di recedere dal contratto nel caso in cui le pervengano informazioni commerciali sul nome dell'Acquirente e/o sulla rispettiva struttura societaria, che - a suo insindacabile giudizio - sconsiglino l'esecuzione del contratto, l'esercizio di tale facoltà non attribuisce al cliente alcun diritto al risarcimento danni od altro.

3. PREZZI E MODALITÀ DI PAGAMENTO

- Il prezzo corrispettivo dovrà essere pagato con la modalità e nei termini pattuiti nella CDO. Resta inteso tra le Parti che il prezzo oggetto della CDO dovrà ritenersi al netto di oneri fiscali accessori.
- Dalle scadenze pattuite per i pagamenti saranno dovuti interessi di mora ex Dlg. 09.10.2002 n° 231 pari a quanto previsto dall'art. 5 e con decorrenza ex art. 4 dello stesso Decreto.
- I pagamenti effettuati ad agenti del Venditore non saranno liberatori per l'Acquirente eccetto in caso di preventiva autorizzazione scritta del Venditore.
- Il mancato e/o parziale pagamento anche di una sola scadenza comporta la decadenza dell'Acquirente dal beneficio del termine e la risoluzione di diritto del contratto e di ogni contratto di vendita in corso tra le Parti ai sensi dell'art. 1456 Cod. Civ.. Prima di dichiarare la volontà di valersi della presente clausola risolutiva il Venditore potrà, in ogni caso, sospendere e/o annullare le consegne non ancora eseguite, anche quelle relative ad altri contratti e/o ordini in corso con l'Acquirente.

4. TERMINI E CONDIZIONI DI CONSEGNA

- I termini di consegna saranno quelli indicati nelle CDO e saranno da considerarsi come indicativi e non tassativi, per cui in ogni caso non faranno sorgere in capo all'Acquirente alcun diritto alla cancellazione dell'ordine e/o a qualsivoglia indennizzo.
- Il Venditore si riserva il diritto di effettuare consegne parziali secondo ragionevolezza.
- Non sarà imputabile al Venditore alcuna responsabilità inerente alla consegna derivante da forza maggiore o da altri eventi imprevedibili, ivi inclusi, senza alcuna limitazione, scioperi, serrate, disposizioni della pubblica amministrazione, successivi blocchi delle possibilità di esportazione o importazione, in considerazione della loro durata e della loro portata, i quali liberano il Venditore dall'obbligo di rispettare qualsiasi termine di consegna pattuito.
- Le condizioni di resa della merce saranno esclusivamente quelle stabilite nelle CDO.
- Eventuale interessamento del Venditore nella ricerca del mezzo di trasporto deve intendersi spiegato per conto e nell'interesse dell'Acquirente senza alcuna responsabilità e/o costo a carico del Venditore.

5. DOVERE DI ISPEZIONE E ACCETTAZIONE DEI PRODOTTI

- Al momento della presa in consegna dei Prodotti, l'Acquirente dovrà verificare le quantità e l'imballaggio dei Prodotti e effettuare un controllo di conformità

rispetto a quanto indicato nella CDO, avendo cura di registrare qualsiasi difformità nella nota di consegna (di seguito denominata "Riserva") in fase di scarico ed alla presenza del trasportatore.

- In caso di denuncia di vizi di erenti da quanto indicato al precedente art. 5.1., l'Acquirente dovrà rispettare le procedure e i termini che seguono:
- I) la comunicazione dovrà essere fornita a mezzo raccomandata A/R e/o posta elettronica certificata entro e non oltre 8 (otto) giorni lavorativi a partire dalla presa in consegna dei Prodotti da parte dell'Acquirente;
- II) nel caso in cui la contestazione sia relativa ad un vizio occulto, non ravvisabile in sede di ispezione iniziale, la contestazione dovrà essere effettuata comunque entro e non oltre 8 (otto) giorni lavorativi dalla scoperta e, in ogni caso, non più tardi di un anno dalla presa in consegna dei Prodotti;
- III) la denuncia dei vizi dovrà contenere nel dettaglio la descrizione e tipologia dei difetti, il relativo ammontare ed una documentazione fotografica a supporto;
- IV) l'Acquirente si renderà disponibile a consentire ogni verifica ed ispezione necessaria da parte del Venditore in riferimento ai prodotti oggetto di contestazione; tale ispezione verrà effettuata dal Venditore o da un perito nominato da quest'ultimo.
- La responsabilità del Venditore per eventuali vizi e/o difetti dei prodotti, se tempestivamente denunciati e accertati in contraddittorio con la stessa, è limitata esclusivamente alla sostituzione gratuita del materiale difettoso, con esclusione di ogni risarcimento di qualsiasi danno diretto e/o indiretto subito dall'Acquirente e non autorizza in alcun modo quest'ultimo a sospendere il pagamento delle fatture del Venditore.
- Il Venditore non è obbligato ad accettare resi dei prodotti, salvo diversa pattuizione scritta. Il reso effettuato dall'Acquirente senza preventiva autorizzazione scritta del Venditore non farà sorgere in capo all'Acquirente diritto all'emissione di alcuna nota di credito e/o rimborso alcuno; il costo a tal fine sostenuto sarà a carico esclusivo dell'Acquirente.

6. GARANZIA

- Il Venditore garantisce che i Prodotti sono esenti da vizi e conformi alle schede tecniche del prodotto reperibili sui cataloghi tecnici in vigore al momento della CDO e disponibili in ultima edizione sul sito del Venditore (www.satigroup.it), i quali potranno essere modificati dal Venditore senza la necessità di alcun preavviso nei confronti dell'Acquirente.
- Il Venditore si riserva di non accettare contestazioni dell'Acquirente rispetto a difformità del Prodotto rispetto a schede e/o cataloghi obsoleti rispetto a quanto disponibile sul sito www.satigroup.it.
- La garanzia si applica solo sui Prodotti utilizzati in ambiente consono e per applicazioni coerenti con le specifiche che dichiarate dal Venditore; ogni uso improprio e/o errato, modalità di magazzinaggio e/o manutenzione scorretta e/o inadeguata, è da ritenersi vietata ed esclude ogni garanzia da parte del Venditore.
- L'eventuale modifi ca e/o sostituzione di parti del prodotto non autorizzata dal Venditore manleva il Venditore da responsabilità civili e/o penali, comportando automaticamente il decadimento da ogni forma di garanzia.
- La validità temporale della garanzia, salvo diversamente pattuito nella CDO, è di 12 mesi decorrenti dalla installazione e/o dalla fatturazione nel caso in cui non sia disponibile una data certa di installazione.

7. LIMITAZIONI DI RESPONSABILITÀ

- I cataloghi, i listini prezzi e/o altro materiale promozionale del Venditore non sono vincolanti per il Venditore in quanto forniscono unicamente un'indicazione della tipologia dei prodotti e dei prezzi, per cui il Venditore non potrà assumere alcuna responsabilità per errori e/o omissioni ivi contenute;
- In caso di accertata responsabilità del Venditore in riferimento ai Prodotti ai sensi delle presenti CGV, le pretese dell'Acquirente saranno in ogni caso limitate, nel loro massimo ammontare, al valore dei prodotti oggetto di contestazione di cui alla relativa CDO.

8. PROPRIETÀ INTELLETTUALE

- L'Acquirente riconosce espressamente che i marchi, nomi di commercio e/o altri segni distintivi apposti sui Prodotti sono di esclusiva proprietà del Venditore e non possono essere alterati, modificati, rimossi e/o cancellati in alcun modo. Il Venditore ha il limitato diritto di uso del marchio, denominazione e/o altro segno distintivo incorporato nel Prodotto al solo ed esclusivo fine di rivendere e commercializzare la merce al pubblico. Resta fermo che occorrerà in ogni caso la preventiva autorizzazione scritta del Venditore per ogni modalità di utilizzo del marchio, denominazione e/o segno distintivo incorporato nel Prodotto, che rimarrà comunque di proprietà esclusiva del Venditore.
- I documenti, i disegni, i dati e/o le informazioni relative all'utilizzo e al know-how del Prodotto oggetto dell'ordine (sia in forma cartacea, sia su supporto elettronico) eventualmente consegnati all'Acquirente, rimarranno di esclusiva proprietà del Venditore e pur costituendo supporto per una migliore rappresentazione del Prodotto dovranno essere destinati al solo Acquirente e ritenuti contenenti informazioni meramente indicative delle prestazioni del Prodotto stesso. L'Acquirente si impegna a non riprodurre quanto consegnato e trasmesso dal Venditore in relazione al Prodotto e a non divulgare detto materiale e/o informazioni a terzi, così come ad assumere ogni più opportuna cautela nei confronti del proprio personale incaricato al fine di garantire e la tutela di ogni diritto di proprietà intellettuale in capo al Venditore e di ogni diritto alla riservatezza del materiale e delle informazioni trasmesse.

9. LEGGE APPLICABILE E FORO COMPETENTE

- Indipendentemente dalla nazionalità, residenza, domicilio o sede dell'Acquirente, le presenti CGV e tutti gli ordini saranno regolati esclusivamente dal diritto italiano, con l'esclusione espressa sia delle norme italiane di diritto internazionale privato sia della Convenzione di Vienna del 1980 sulla vendita internazionale di merci.
- Il Foro di Bologna avrà la competenza esclusiva in relazione ad ogni controversia (anche di natura extracontrattuale) relativa, derivante o riferibile alle presenti CGV o ad uno o più ordini dei Prodotti, fermo restando il diritto del Venditore di adire ogni altro foro (italiano o estero) al fine di intraprendere ogni azione prevista in tale giurisdizione.

1. APPLICATION AND VALIDITY

- These terms and conditions of sale (the "General Conditions") regulate all sales and deliveries of items (the "Products") of Sati Group Spa (the "Seller") to each customer indicated in each Product order received by the Seller (the "Orders" and each an "Order"), Seller's customers who order the Products through one or more Orders regulated by these General Conditions (the "Purchaser" and, together with the Seller, the "Parties" as well as, individually, a "Party"), as well as the Products requested, are identified in detail in each Order, provided that the Order is accepted by the Seller in accordance with the provisions below. It is explicitly understood that the General Conditions shall also regulate, unless otherwise indicated by the Seller, any supplement to each Order and any subsequent Order of Products and/or any past commercial relations of the Parties. In particular, these General Conditions cancel and replace any previous agreement between the Parties, both oral and written, and shall prevail over any commercial use or custom that may be followed or accepted by the Parties.
- By accepting these General Conditions, the Purchaser expressly renounces the application of its own general and/or particular terms and conditions of purchase, which shall in any case be considered ineffective between the Parties, unless expressly accepted in writing by the Seller, without prejudice to the prevailing effectiveness of these General Conditions over the aforementioned general and particular terms and conditions of the Purchaser, unless otherwise agreed in writing between the Parties.
- Any eventual waiver of the Seller, also temporary, to rights as defined herein into General Conditions shall be not intended as a future waiver to the application and/or validity of the contractual provisions provided in the General Conditions.
- The Seller shall have the faculty to modify, add or change the contractual provisions of the General Conditions transmitting the amendments attached to its offers and/or to any written communication to be sent to the Purchaser.

2. ORDERS AND ACCEPTANCE

- Each Order shall be unilaterally binding for the Purchaser.
- Any contract of sale of the Products shall be executed only upon the reception by the Purchaser of the Seller's confirmation of Order. In particular, each Order (both oral and written) shall be executed by the Seller upon the issue and transmission to the Purchaser of the document of confirmation of order of the Seller ("Confirmation of Order"). The Purchaser shall sign for acceptance the Confirmation of Order within 24 (twenty four) hours from the reception of the Confirmation of Order; in contrary case, the Confirmation of Order shall be considered as definitely and tacitly approved by the Buyer and the Seller shall proceed to the supply of Products in compliance to the terms indicated in the Confirmation of Order.
- In case of partial acceptance by the Purchaser of the Confirmation of Order within the terms as indicated in previous art. 2.2., the Seller shall confirm at its own discretion the proposals of amendment referred by the Purchaser upon the issue and transmission of a further Confirmation of Order which shall comply to the conditions agreed between the Parties and approved by the Seller.
- If the Purchaser would not upload and accept the ordered Products after the issue of the Seller's Confirmation of Order, the Purchaser shall pay to the Seller an amount equal to the value of the materials and components necessary to consent the supply of the Products, the foregoing is without prejudice to any other remedies or claims for damages that Seller may have under applicable law.
- In any case the Seller's offers and price quotations shall not be binding for the Seller; in particular, the quantities, prices and delivery terms therein shall be discussed and agreed between the Parties by further negotiations.
- It would be understood that any modification and/or amendment to the Order - although proposed by Seller's agents - shall not be binding for the Seller, who shall accept or reject at its own discretion these modifications or amendments without any prejudice to the original Order.
- In any case - also after the issue of the Confirmation of Order - the Seller shall terminate the Agreement at its sole discretion, if the Purchaser's solvency guarantees or creditworthiness are no longer valid or are reduced or in any case if it is deemed not the case to fulfil the execution of the Agreement without any compensation and/or indemnity to be paid to the Purchaser.

3. PRICES AND PAYMENTS

- The prices of the Products shall be paid by the Purchaser in compliance to the terms and the expiry dates indicated in the Confirmation of Orders. The Parties expressly agree that the price of the Products indicated in the Confirmation of Order shall not include fiscal duties and/or taxes.
- In the event of missing payment or late payment with respect to the contractual deadlines, the Parties expressly agree that arrears interest shall be applied, calculated as a percentage pursuant to art. 5 from the date indicated in art. 4 of Italian Legislative Decree no. 231/2002.
- Any payment of the prices executed to the Seller's agents shall not exempt the Purchaser from payments due to the Seller, except in case of prior written authorization of the Seller.
- The Parties mutually acknowledge that, in the event of delayed or missing payment by the Purchaser, even of a single instalment of the price relating to Products already delivered or ordered (depending on the case, in accordance with the provisions of the Confirmation of Order of the Seller in relation to the payment terms), the Seller shall pretend the immediate payment of the price of the Products and have the right to terminate the Agreement in compliance to art. 1456 Italian Civil Code and/or have the right to suspend or cancel any other Orders of the Purchaser not yet fulfilled or accepted by the Seller.

4. TERMS AND CONDITIONS OF DELIVERY

- The Products shall be delivered in compliance to delivery terms indicated in the Confirmation of Order and the Parties agree that the delivery terms therein shall be not preemptory but rather indicative. The Purchaser shall not cancel and/or pretend any compensation or indemnity in case of delay of the Seller delivering the Products.
- The delivery conditions of the Products shall be indicated only in the Confirmation of Order.
- Eventual preferences and suggestions of the Seller in reference to the carrier shall be intended as executed on behalf of the Purchaser without any responsibility of the Seller and/or cost to be paid from the Seller to the Purchaser.

5. INSPECTION AND ACCEPTANCE OF PRODUCTS

- At the moment of delivery of Products the Purchaser shall immediately control quantities and packaging of Products and the compliance of Products to the Confirmation of Order. In particular, the Purchaser shall declare any defect and/or non

conformity of the Products in the delivery note ("Declaration in Delivery Note") at the moment of unloading of the Products at presence of the carrier.

- In case of a Purchaser's claim related to defects different from the defects indicated in previous art. 5.1. the Purchaser shall proceed in compliance to the following terms and conditions:
 - I) the declaration of any eventual defect in reference to the quality and/or defect and/or no compliance of the Products shall be communicated by written with proof of reception of the communication within 8 (eight) working days from the date of delivery of the Products to the Purchaser;
 - II) the declaration of eventual hidden defects, which shall be not identified during the inspection of the products at the date of delivery, shall be sent to the Seller within 8 working days from the discovery by written notice with proof of reception of the communication. In any case, the right of the Purchaser to propose any claim related to the delivered Products - included hidden defects - shall expire definitely after 12 (twelve) months from the delivery of the Products to the Purchaser;
 - III) The declaration of defects shall contain a detailed description of the defects and/or no conformity, the quantity of defects, the name of the carrier and photographic images of the defects;
 - IV) The Purchaser shall consent to the Seller to execute any verification of the defects communicated by the Purchaser, included inspection on the Products realized by qualified personnel of the Seller and/or authorized by the Seller.
- In case of claim presented by the Purchaser within the term above indicated the Seller shall control the existence of the communicated defects and shall agree to withhold the Products and substitute them with complying Products at its own costs in compliance to its warehouses disposal. It would be understood that the Seller shall not pay any damage or compensation to the Purchaser and the Purchaser shall not suspend the payment of the Products for any reason.
- The Seller shall not be obliged to accept return of Products, except different written agreement between the Parties. The return of Products by the Purchaser without prior written authorization of the Seller shall not consent the issue of any credit note and/or any further compensation from the Seller. In case of no authorization of the Seller any cost paid by the Purchaser for this reason shall be not reimbursed by the Seller.

6. WARRANTY

- The Seller grants that delivered Products shall not have defects and shall comply to the technical schedules of the Products contained in the technical catalogues entered into force at the date of the Confirmation of Order, which shall be available in updated edition on the official website of the Seller (www.satigroup.it). It would be understood that the above mentioned catalogues shall be modified by the Seller without any notice to the Purchaser.
- The Seller shall reject claims of the Purchaser in case of Products not complying to schedules and/or catalogues which would be not updated than whom available on the website www.satigroup.it.
- The Seller shall grant only Products used in compliance to the instructions indicated in the technical schedules of the Seller. Any improper or incorrect use, deposit and maintenance of the Products shall be forbidden and it shall exclude any warranty by the Seller.
- Any eventual modification and/or substitution of components of the Products which shall be not prior approved by written by the Seller shall exclude any warranty of the Products by the Seller and any further legal liability (civil or penal) of the Seller.
- The validity and duration of the warranty of Products shall be 12 (twelve) months from the date of installation and/or invoice of the Products in case of no certain date of installation, except differently specified by written in the Confirmation of Order.

7. LIMITATIONS OF LIABILITY

- Catalogues, price lists and/or any further promotional material of the Seller shall be not binding for the Seller. The Parties are aware that these documents shall supply to Purchaser indicative information on the characteristics or prices of the Products; in particular, the Seller shall be not liable in reference to eventual errors or omissions contained therein.
- In case of definitive and verified liability of the Seller in reference to the Products object of the Confirmation of Order, any compensation or indemnity shall be limited in a maximum amount equal to the value of the defective Products indicated in the Confirmation of Order.

8. INTELLECTUAL PROPERTY RIGHTS

- The Purchaser shall be aware that this Agreement shall not give Purchaser any rights in respect of any Intellectual Property associated with the Products (trademarks, denominations and/or any further logo or sign distinguishing the Products), which shall be owned only and exclusively by the Seller and not modified, copied and/or deleted for any reason by the Purchaser. The Seller shall use the above mentioned trademarks, logos, denominations and/or sign distinguishing the Products only for the resale and marketing of the Products to the customers; in any case the Seller shall authorize prior by written any use of them by the Purchaser.
- All documents, designs, data and/or information related to use and know-how of the Products indicated in the Order (written or electronic) supplied to the Purchaser shall remain of exclusive property of the Seller and shall be consulted only by the Purchaser, who shall be aware that these documents, designs, data and/or information shall be indicative. The Purchaser shall not reproduce and/or copy the materials supplied by the Seller as above mentioned and the Purchaser shall agree not disclose these materials. The obligation herein in this art. 8.2. shall be fulfilled by Purchaser and Purchaser's personal and/or employees and/or agents with the purpose to protect any intellectual property rights and/or reserved information of the Seller connected to the Products and these materials.

9. APPLICABLE LAW AND JURISDICTION

- Regardless of the nationality, residence, domicile or registered office of the Purchaser, these General Conditions and all Orders shall be governed exclusively by Italian substantive law, with the exception of Italian private international law legislation. The Parties expressly exclude any application of the 1980 Vienna Convention on the international sale of goods.
- The Court of Bologna shall have exclusive jurisdiction in relation to any dispute (including non-contractual matters) relating to, arising from or in any way referable to these General Conditions or to one or more Orders, without prejudice to the Seller's right to refer to any other competent court (Italian or foreign) in order to take any action foreseen in such jurisdiction.



SATI GROUP S.P.A.

Via Bonazzi, 24
40013 Castel Maggiore
Bologna - Italy
T +39 051 700321
www.satigroup.it

Ufficio vendite italia
commerciale@satigroup.it
Ufficio vendite estero
export@satigroup.it

P. IVA 00672251204